

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
27 December 2001 (27.12.2001)

PCT

(10) International Publication Number
WO 01/97850 A2

(51) International Patent Classification⁷: A61K 45/06 (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DK, DM, DZ, EC, EB, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.

(21) International Application Number: PCT/EP01/06976 (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(22) International Filing Date: 20 June 2001 (20.06.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
00250194.8 23 June 2000 (23.06.2000) EP
00250214.4 28 June 2000 (28.06.2000) EP


(71) Applicant: SCHERING AKTIENGESELLSCHAFT [DE/DE]; Müllerstrasse 178, 13353 Berlin (DE).

(71) Applicants and
(72) Inventors: SIEMEISTER, Gerhard [DE/DE]; Reimerswalder Steig 26, 13503 Berlin (DE). HABEREY, Martin [DE/DE]; Steinstr. 1, 12169 Berlin (DE). THIERAUCH, Karl-Heinz [DE/DE]; Hochwildpfad 45, 14169 Berlin (DE).

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



WO 01/97850 A2

(54) Title: COMBINATIONS AND COMPOSITIONS WHICH INTERFERE WITH VEGF/VEGF AND ANGIOPOIETIN/TIE RECEPTOR FUNCTION AND THEIR USE (II)

(57) Abstract: The present invention describes the combination of substances interfering with the biological activity of Vascular Endothelial Growth Factor (VEGF)/VEGF receptor systems (compound I) and substances interfering with the biological function of Angiopoietin/Tie receptor systems (compound II) for inhibition of vascularization and for cancer treatment.

**Combinations and compositions which interfere with VEGF/ VEGF and
angiopoietin/ Tie receptor function and their use (II)**

5 The present invention provides the combination of substances interfering with the biological activity of Vascular Endothelial Growth Factor (VEGF)/VEGF receptor systems (compound I) and substances interfering with the biological function of Angiopoietin/Tie receptor systems (compound II) for inhibition of vascularization and for cancer treatment.

10

Protein ligands and receptor tyrosine kinases that specifically regulate endothelial cell function are substantially involved in physiological as well as in disease-related angiogenesis. These ligand/receptor systems include the Vascular Endothelial Growth Factor (VEGF) and the Angiopoietin (Ang) families, and their receptors, the VEGF receptor family and the tyrosine kinase with immunoglobulin-like and epidermal growth factor homology domains (Tie) family. The members of the two families of receptor tyrosine kinases are expressed primarily on endothelial cells. The VEGF receptor family includes Flt1 (VEGF-R1), Flk1/KDR (VEGF-R2), and Flt4 (VEGF-R3). These receptors are recognized by members of the VEGF-related growth factors in that the ligands of Flt1 are VEGF and placenta growth factor (PIGF), whereas Flk1/KDR binds VEGF, VEGF-C and VEGF-D, and the ligands of Flt4 are VEGF-C and VEGF-D (Nicosia, Am. J. Pathol. 153, 11-16, 1998). The second family of endothelial cell specific receptor tyrosine kinases is represented by Tie1 and Tie2 (also known as Tek). Whereas Tie1 remains an orphan receptor, three secreted glycoprotein ligands of Tie2, Ang1, Ang2, and Ang3/Ang4 have been discovered (Davis et al., Cell 87, 1161-1169, 1996; Maisonpierre et al., Science 277, 55-60, 1997; Valenzuela et al., Proc. Natl. Acad. Sci. USA 96, 1904-1909, 1999; patents: US 5,521,073; US 5,650,490; US 5,814,464).

30

The pivotal role of VEGF and of its receptors during vascular development was exemplified in studies on targeted gene inactivation. Even the heterozygous disruption of the VEGF gene resulted in fatal deficiencies in vascularization (Carmeliet et al., Nature 380, 435-439, 1996; Ferrara et al., Nature 380, 439-442,

1996). Mice carrying homozygous disruptions in either Flt1 or Flk1/KDR gene die in mid-gestation of acute vascular defects. However, the phenotypes are distinct in that Flk1/KDR knock-out mice lack both endothelial cells and a developing hematopoietic system (Shalaby et al. *Nature* 376, 62-66, 1995), whereas Flt1 deficient mice have normal hematopoietic progenitors and endothelial cells, which fail to assemble into functional vessels (Fong et al., 376, 66-70, 1995). Disruption of the Flt4 gene, whose extensive embryonic expression becomes restricted to lymphatic vessels in adults, revealed an essential role of Flt4 for the remodeling and maturation of the primary vascular networks into larger blood vessels during early development of the cardiovascular system (Dumont et al., *Science* 282, 946-949, 1998). Consistent with the lymphatic expression of Flt4 in adults overexpression of VEGF-C in the skin of transgenic mice resulted in lymphatic, but not vascular, endothelial proliferation and vessel enlargement (Jeltsch et al., *Science* 276, 1423-1425, 1997). Moreover, VEGF-C was reported to induce neovascularization in mouse cornea and chicken embryo chorioallantoic membrane models of angiogenesis (Cao et al., *Proc. Natl. Acad. Sci. USA* 95, 14389-14394, 1998).

The second class of endothelial cell specific receptor tyrosine kinases has also been found to be critically involved in the formation and integrity of vasculature. Mice deficient in Tie1 die of edema and hemorrhage resulting from poor structural integrity of endothelial cells of the microvasculature (Sato et al., *Nature* 376, 70-74, 1995; Rodewald & Sato, *Oncogene* 12, 397-404, 1996). The Tie2 knock-out phenotype is characterized by immature vessels lacking branching networks and lacking periendothelial support cells (Sato et al., *Nature* 376, 70-74, 1995; Dumont et al., *Genes Dev.* 8, 1897-1909, 1994). Targeted inactivation of the Tie2 ligand Ang1, as well as overexpression of Ang2, an inhibitory ligand, resulted in phenotypes similar to the Tie2 knock out (Maisonnier et al., *Science* 277, 55-60, 1997; Suri et al., *cell* 87, 1171-1180). Conversely, increased vascularization was observed upon transgenic overexpression of Ang1 (Suri et al., *Science* 282, 468-471, 1998; Thurston et al., *Science* 286, 2511-2514, 1999).

The results from angiogenic growth factor expression studies in corpus luteum development (Maisonnier et al., *Science* 277, 55-60, 1997; Goede et al. *Lab.*

Invest. 78, 1385-1394, 1998), studies on blood vessel maturation in the retina (Alon et al., Nature Med. 1, 1024-1028, 1995; Benjamin et al, Development 125, 1591-1598, 1998), and gene targeting and transgenic experiments on Tie2, Ang1, and Ang2, suggest a fundamental role of the Angiopoietin/Tie receptor system in 5 mediating interactions between endothelial cells and surrounding pericytes or smooth muscle cells. Ang1, which is expressed by the periendothelial cells and seems to be expressed constitutively in the adult, is thought to stabilize existing mature vessels. Ang2, the natural antagonist of Ang1 which is expressed by endothelial cells at sites of vessel sprouting, seems to mediate loosening of 10 endothelial-periendothelial cell contacts to allow vascular remodeling and sprouting in cooperation with angiogenesis initiators such as VEGF, or vessel regression in the absence of VEGF (Hanahan, Science 277, 48-50, 1997).

In pathological settings associated with aberrant neovascularization elevated 15 expression of angiogenic growth factors and of their receptors has been observed. Most solid tumors express high levels of VEGF and the VEGF receptors appear predominantly in endothelial cells of vessels surrounding or penetrating the malignant tissue (Plate et al., Cancer Res. 53, 5822-5827, 1993). Interference with the VEGF/VEGF receptor system by means of VEGF-neutralizing antibodies 20 (Kim et al., Nature 362, 841-844, 1993), retroviral expression of dominant negative VEGF receptor variants (Millauer et al., Nature 367, 576-579, 1994), recombinant VEGF-neutralizing receptor variants (Goldman et al., Proc. Natl. Acad. Sci. USA 95, 8795-8800, 1998), or small molecule inhibitors of VEGF receptor tyrosine kinase (Fong et al., Cancer Res. 59, 99-106, 1999; Wedge et al., Cancer Res. 60, 25 970-975, 2000; Wood et al. Cancer Res. 60, 2178-2189, 2000), or targeting cytotoxic agents via the VEGF/VEGF receptor system (Arora et al., Cancer Res. 59, 183-188, 1999; EP 0696456A2) resulted in reduced tumor growth and tumor vascularization. However, although many tumors were inhibited by interference with the VEGF/VEGF receptor system, others were unaffected (Millauer et al., 30 Cancer Res. 56, 1615-1620, 1996). Human tumors as well as experimental tumor xenografts contain a large number of immature blood vessels that have not yet recruited periendothelial cells. The fraction of immature vessels is in the range of 40% in slow growing prostate cancer and 90% in fast growing glioblastoma. A selective obliteration of immature tumor vessels was observed upon withdrawal of

VEGF by means of downregulation of VEGF transgene expression in a C6 glioblastoma xenograft model. This result is in accordance with a function of VEGF as endothelial cell survival factor. Similarly, in human prostate cancer shutting off VEGF expression as a consequence of androgen-ablation therapy led

5 to selective apoptotic death of endothelial cells in vessels lacking periendothelial cell coverage. In contrast, the fraction of vessels which resisted VEGF withdrawal showed periendothelial cell coverage (Benjamin et al., *J. Clin. Invest.* 103, 159-165, 1999).

10 The observation of elevated expression of Tie receptors in the endothelium of metastatic melanomas (Kaipainen et al., *Cancer Res.* 54, 6571-6577, 1994), in breast carcinomas (Salvén et al., *Br. J. Cancer* 74, 69-72, 1996), and in tumor xenografts grown in the presence of dominant-negative VEGF receptors (Millauer et al., *Cancer Res.* 56, 1615-1620, 1996), as well as elevated expression of Flt4

15 receptors in the endothelium of lymphatic vessels surrounding lymphomas and breast carcinomas (Jussila et al., *Cancer Res.* 58, 1599-1604, 1998), and of VEGF-C in various human tumor samples (Salvén et al., *Am. J. Pathol.* 153, 103-108, 1998), suggested these endothelium-specific growth factors and receptors as candidate alternative pathways driving tumor neovascularization. The high

20 upregulation of Ang2 expression already in early tumors has been interpreted in terms of a host defense mechanism against initial cooption of existing blood vessels by the developing tumor. In the absence of VEGF, the coopted vessels undergo regression leading to necrosis within the center of the tumor. Contrarily, hypoxic upregulation of VEGF expression in cooperation with elevated Ang2

25 expression rescues and supports tumor vascularization and tumor growth at the tumor margin (Holash et al., *Science* 284, 1994-1998, 1999; Holash et al., *Oncogene* 18, 5356-5362, 1999).

Interference with Tie2 receptor function by means of Angiopoietin-neutralizing

30 Tie2 variants consisting of the extracellular ligand-binding domain has been shown to result in inhibition of growth and vascularization of experimental tumors (Lin et al., *J. Clin. Invest.* 103, 159-165, 1999; Lin et al. *Proc. Natl. Acad. Sci. USA* 95, 8829-8834, 1998; Siemeister et al., *Cancer Res.* 59, 3185-3191, 1999).

Comparing the effects of interference with the endothelium-specific receptor

tyrosine kinase pathways by means of paracrine expression of the respective extracellular receptor domains on the same cellular background demonstrated inhibition of tumor growth upon blockade of the VEGF receptor system and of the Tie2 receptor system, respectively (Siemeister et al., Cancer Res. 59, 3185-3191, 1999).

5 It is known that the inhibition of the VEGF/VEGR receptor system by various methods resulted only in slowing down growth of most experimental tumors (Millauer et al., Nature 367, 576-579, 1994; Kim et al., Nature 362, 841-844, 1993; Millauer et al., Cancer Res. 56, 1615-1620, 1996; Goldman et al., Proc. Natl. 10 Acad. Sci. USA 95, 8795-8800, 1998; Fong et al., Cancer Res. 59, 99-106, 1999; Wedge et al., Cancer Res. 60, 970-975, 2000; Wood et al. Cancer Res. 60, 2178-2189, 2000; Siemeister et al., Cancer Res. 59, 3185-3191, 1999). Even by escalation of therapeutic doses a plateau level of therapeutic efficacy was achieved (Kim et al., Nature 362, 841-844, 1993; Wood et al. Cancer Res. 60, 15 2178-2189, 2000). Similar results were observed upon interference with the Angiopoietin/Tie2 receptor system (Lin et al., J. Clin. Invest. 103, 159-165, 1999; Lin et al., Proc. Natl. Acad. Sci. USA 95, 8829-8834, 1998; Siemeister et al., Cancer Res. 59, 3185-3191, 1999).

20 However, there is a high demand for methods that enhance the therapeutic efficacy of anti-angiogenous compounds.

Searching for methods that enhance the therapeutic efficacy of anti-angiogenic compounds, superior anti-tumor effects were observed unexpectedly upon 25 combination of inhibition of VEGF/VEGF receptor systems and interference with biological function of Angiopoietin/Tie receptor systems. The mode of action underlying the superior effects observed may be that interference biological function of Angiopoietin/Tie receptor systems destabilizes endothelial cell-periendothelial cell interaction of existing mature tumor vessels and thereby 30 sensitizes the endothelium to compounds directed against VEGF/VEGF receptor systems.

Based on this unexpected finding the present invention provides the combination of functional interference with VEGF/VEGF receptor systems and with

Angiopoietin/Tie receptor systems for inhibition of vascularization and of tumor growth.

The pharmaceutical composition consists of two components: compound I inhibits the biological activity of one or several of the VEGF/VEGF receptor systems or

5 consists of cytotoxic agents which are targeted to the endothelium via recognition of VEGF/VEGF receptor systems. Compound II interferes with the biological function of one or several of Angiopoietin/Tie receptor systems or consists of cytotoxic agents which are targeted to the endothelium via recognition of Angiopoietin/Tie receptor systems. Alternatively, compound I inhibits the biological 10 activity of one or several of the VEGF/VEGF receptor systems or of the Angiopoietin/Tie receptor systems and compound II consists of cytotoxic agents which are targeted to the endothelium via recognition of one or several of the VEGF/VEGF receptor systems or of the Angiopoietin/Tie receptor systems.

Targeting or modulation of the biological activities of VEGF/VEGF receptor 15 systems and of Angiopoietin/Tie receptor systems can be performed by

- (a) compounds which inhibit receptor tyrosine kinase activity,
- (b) compounds which inhibit ligand binding to receptors,
- (c) compounds which inhibit activation of intracellular signal pathways of the 20 receptors,
- (d) compounds which inhibit or activate expression of a ligand or of a receptor of the VEGF or Tie receptor system,
- (e) delivery systems, such as antibodies, ligands, high-affinity binding oligonucleotides or oligopeptides, or liposomes, which target cytotoxic agents 25 or coagulation-inducing agents to the endothelium via recognition of VEGF/VEGF receptor or Angiopoietin/Tie receptor systems,
- (f) delivery systems, such as antibodies, ligands, high-affinity binding oligonucleotides or oligopeptides, or liposomes, which are targeted to the endothelium and induce necrosis or apoptosis.

30


A compound comprised by compositions of the present invention can be a small molecular weight substance, an oligonucleotide, an oligopeptide, a recombinant protein, an antibody, or conjugates or fusionproteins thereof. An example of an inhibitor is a small molecular weight molecule which inactivates a receptor tyrosine

kinase by binding to and occupying the catalytic site such that the biological activity of the receptor is decreased. Kinase inhibitors are known in the art (Sugen: SU5416, SU6668; Fong et al. (1999), Cancer Res. 59, 99-106; Vajkoczy et al., Proc. Am. Assoc. Cancer Res. San Francisco (2000), Abstract ID 3612; Zeneca: 5 ZD4190, ZD6474; Wedge et al. (2000), Cancer Res. 60, 970-975; Parke-Davis PD0173073, PD0173074; Johnson et al., Proc. Am. Assoc. Cancer Res., San Francisco (2000), Abstract ID 3614; Dimitroff et al. (1999), Invest. New Drugs 17, 121-135). An example of an antagonist is a recombinant protein or an antibody which binds to a ligand such that activation of the receptor by the ligand is 10 prevented. Another example of an antagonist is an antibody which binds to the receptor such that activation of the receptor is prevented. An example of an expression modulator is an antisense RNA or ribozyme which controls expression of a ligand or a receptor. An example of a targeted cytotoxic agent is a fusion protein of a ligand with a bacterial or plant toxin such as *Pseudomonas* exotoxin 15 A, Diphtheria toxin, or Ricin A. An example of a targeted coagulation-inducing agent is a conjugate of a single chain antibody and tissue factor. Ligand-binding inhibitors such as neutralizing antibodies which are known in the art are described by Genentech (rhuMAbVEGF) and by Presta et al. (1997), Cancer Res. 57, 4593- 4599. Ligand-binding receptor domains are described by Kendall & Thomas 20 (1993), Proc. Natl. Acad. Sci., U.S.A.90, 10705-10709; by Goldman et al. (1998) Proc. Natl. Acad. Sci., U.S.A.95, 8795-8800 and by Lin et al. (1997), J. Clin. Invest. 100, 2072-2078. Further, dominant negative receptors have been 25 described by Millauer et al. (1994), Nature 367, 567-579. Receptor blocking antibodies have been described by Imclone (c-p1C11, US 5,874,542). Further known are antagonistic ligand mutants (Siemeister et al. (1998), Proc. Natl. Acad. Sci., U.S.A.95, 4625-4629). High affinity ligand- or receptor binding oligo nucleotides have been described by NeXstar (NX-244) and Drolet et al. (1996), Nat. Biotech 14, 1021-1025. Further, small molecules and peptides have been described. 30 Expression regulators have been described as anti-sense oligo nucleotides and as ribozymes (RPI, Angiozyme™, see RPI Homepage).

Examples for delivery-/Targeting-Systems have been described as ligand/antibody-toxin-fusion-proteins or conjugates (Arora et al. (1999), Cancer Res. 59, 183-188 and Olson et al. (1997), Int. J. Cancer 73, 865-870), as endothel cell targeting of liposomes (Spragg et al. (1997), Prog. Natl. Acad. Sci, U.S.A94, 8795-8800, and as endothel cell targeting plus coagulation-induction (Ran et al., (1998), Cancer Res. 58, 4646-4653).

10 Small molecules which inhibit the receptor tyrosine kinase activity are for example molecules of general formula I

15



20

I,

in which


r has the meaning of 0 to 2,
n has the meaning of 0 to 2;

25

R₃ und R₄

a) each independently from each other have the meaning of lower alkyl,

b) together form a bridge of general partial formula II,




5

m

wherein the binding is via the two terminal C- atoms, and has the meaning of 0 to 4; or

c) together form a bridge of partial formula III

10



15

wherein one or two of the ring members T_1, T_2, T_3, T_4 has the meaning of nitrogen, and each others have the meaning of CH, and the bining is via the atoms T_1 and T_4 ;

G

20

has the meaning of $C_1 - C_6$ - alkyl, $C_2 - C_6$ - alkylene or $C_2 - C_6$ - alkenylene; or $C_2 - C_6$ - alkylene or $C_3 - C_6$ - alkenylene, which are substituted with acyloxy or hydroxy; $-CH_2-O-$, $-CH_2-S-$, $-CH_2-NH-$, $-CH_2-O-CH_2-$, $-CH_2-S-CH_2-$, $-CH_2-NH-CH_2$, oxa (-O-), thia (-S-) or imino (-NH-),

A, B, D, E and T

independently from each other have the meaning of N or CH, with the provisio that not more than three of these Substituents have the meaning of N,

25

Q has the meaning of lower alkyl, lower alkyloxy or halogene,
R₁ and R₂ independently from each other have the meaning of H or
lower alkyl,

X has the meaning of imino, oxa or thia;

5 Y has the meaning of hydrogene, unsubstituted or substituted
aryl, heteroaryl, or unsubstituted or substituted cycloalkyl; and

Z has the meaning of amino, mono- or disubstituted amino,
halogen, alkyl, substituted alkyl, hydroxy, etherificated or
esterificated hydroxy, nitro, cyano, carboxy, esterificated
carboxy, alkanoyl, carbamoyl, N-mono- or N, N- disubstituted
carbamoyl, amidino, guanidino, mercapto, sulfo, phenylthio,
phenyl-lower-alkyl-thio, alkyl-phenyl-thio, phenylsulfinyl,
phenyl-lower-alkyl-sulfinyl, alkylphenylsulfinyl, phenylsulfonyl,
phenyl-lower-alkan-sulfonyl, or alkylphenylsulfonyl, whereas, if
more than one rest Z is present (m>2), the substituents Z are
equal or different from each other, and wherein the bonds
marked with an arrow are single or double bonds; or an N-
oxide of said compound, wherein one ore more N-atoms carry
an oxygene atom, or a salt thereof.

10

15


20 A preferred salt is the salt of an organic acid, especially a succinate.

These compounds can preferentially be used as compound I or II in the inventive
pharmaceutical composition.

25 Compounds which stop a tyrosin phosphorylation, or the persistent angiogenesis,
respectively, which results in a prevention of tumor growth and tumor spread, are
for example
anthranyl acid derivatives of general formula IV

30

11



in which

A

has the meaning of group $=NR^2$,

5


W

has the meaning of oxygen, sulfur, two hydrogen atoms
or the group $=NR^8$,

Z

has the meaning of the group $=NR^{10}$ or $=N-, -N(R^{10})-$
 $(CH_2)_q$, branched or unbranched C₁₋₆-Alkyl or is the
group


10



15


or A, Z and R¹ together form the group

20



	m, n and o	has the meaning of 0 – 3,
	q	has the meaning of 1 – 6,
5	$R_a, R_b, R_c, R_d, R_e, R_f$	independently from each other have the meaning of hydrogen, C ₁₋₄ alkyl or the group =NR ¹⁰ , and/or R_a and/or R_b together with R_c and/or R_d or R_c together with R_e and/or R_f form a bound, or up to two of the groups R_a-R_f form a bridge with each up to 3 C-atoms with R^1 or R^2 ,
10	X	has the meaning of group =NR ⁹ or =N-,
	Y	has the meaning of group -(CH ₂) _p ,
	p	has the meaning of integer 1-4,
	R^1	has the meaning of unsubstituted or optionally substituted with one or more of halogene, C ₁₋₆ -alkyl, or C ₁₋₈ -alkyl or C ₁₋₆ -alkoxy, which is optionally substituted by one or more of halogen, or is unsubstituted or substituted aryl or heteroaryl,
15	R^2	has the meaning of hydrogen or C ₁₋₆ -alkyl, or form a bridge with up to 3 ring atoms with R_a-R_f together with Z or R ₁ ,
20	R^3	has the meaning of monocyclic or bicyclic aryl or heteroaryl which is unsubstituted or optionally substituted with one or more of halogen, C ₁₋₆ -alkyl, C ₁₋₆ -alkoxy or hydroxy,
25	R^4, R^5, R^6 and R^7	independently from each other have the meaning of hydrogen, halogen or C ₁₋₆ -alkoxy, C ₁₋₆ -alkyl or

C_{1-6} -carboxyalkyl, which are unsubstituted or optionally substituted with one or more of halogen, or R^5 and R^6 together form the group




5 R^8 , R^9 and R^{10}

independently from each other have the meaning of hydrogen or C_{1-6} -alkyl, as well as their isomers and salts.

10 These compounds can also preferentially be used as compound I or II in the inventive pharmaceutical composition.

More preferentially compounds of general formula V




15

in which



R^1

has the meaning of group





20




14



in which R⁵ is chloro, bromo or the group -OCH₃,



in which R⁷ is -CH₃ or chloro,




in which R^8 is $-CH_3$, fluoro,
chloro or $-CF_3$

in which R^4 is fluoro,
chloro, bromo, $-CF_3$,
 $-N=C$, $-CH_3$, $-OCF_3$ or
 $-CH_2OH$

in which R^6 is
 $-CH_3$ or chloro

5

R^2 has the meaning of pyridyl or the group



10

and

R^3 has the meaning of hydrogen or fluoro, as well as their isomers and salts can be used as compound I or II in the inventive pharmaceutical composition.

These compounds have the same properties as already mentioned above under compound IV and can be used for the treatment of angiogeneous diseases.

Compositions comprise compounds of general formulars I, IV and V, alone or in combination.

The above mentioned compounds are also claimed matter within the inventive combinations.

20

A further example for ligand binding inhibitors are peptides and DNA sequences coding for such peptides, which are used for the treatment of angiogeneous diseases. Such peptides and DNA sequences are disclosed in Seq. ID No. 1 to 59 of the sequence protocoll. It has been shown that Seq. ID Nos. 34 and 34a are of main interest.

Claimed matter of the instant invention are therefor pharmaceutical compositions

a) comprising one or several agents as compound I which modulate the biological function of one or several of the VEGF/VEGF receptor systems, and comprising one or several agents as compound II which modulate the biological function of one or several of the Angiopoietin/Tie receptor systems,

5

b) comprising one or several agents as compound I which are targeted to the endothelium via one or several of the VEGF/VEGF receptor systems, and comprising one or several agents as compound II which modulate the biological function of one or several of the Angiopoietin/Tie receptor systems,

10

c) comprising one or several agents as compound I which modulates the biological function of one or several of the VEGF/VEGF receptor systems or of one or several of the Angiopoietin/ Tie receptor systems and comprising one or several agents as compound II which are targeted to the endothelium,

15

d) comprising one or several agents as compound I which modulate the biological function of one or several of the VEGF/VEGF receptor systems, and comprising one or several agents as compound II which are targeted to the endothelium via one or several of the Angiopoietin/Tie receptor systems,

20

e) comprising one or several agents as compound I which are targeted to the endothelium via one or several of the VEGF/VEGF receptor systems, and comprising one or several agents as compound II which are targeted to the endothelium via one or several of the Angiopoietin/Tie receptor systems,

25

f) comprising one or several agents as compound I which modulate the biological function of one or several of the VEGF/VEGF receptor systems, and comprising one or several agents as compound II which are targeted to the endothelium via one or several of the VEGF/VEGF receptor systems,

30

g) comprising one or several agents as compound I which modulate the biological function of one or several of the Angiopoietin/Tie receptor systems, and comprising one or several agents as compound II which are targeted to the endothelium via one or several of the Angiopoietin/Tie receptor systems and

h) comprising one or several agents which interfere with both the function of one or several of the VEGF/VEGF receptor systems and the function of one or several of the Angiopoietin/Tie receptor systems.

5

For a sequential therapeutical application the inventive pharmaceutical compositions can be applied simultaneously or separately .

10

The inventive compositions comprise as compound I or as compound II at least

one of

- a) compounds which inhibit receptor tyrosine kinase activity,
- b) compounds which inhibit ligand binding to receptors,
- c) compounds which inhibit activation of intracellular signal pathways of the receptors,
- 15 d) compounds which inhibit or activate expression of a ligand or of a receptor of the VEGF or Tie receptor system,
- e) delivery systems, such as antibodies, ligands, high-affinity binding oligonucleotides or oligopeptides, or liposomes, which target cytotoxic agents or coagulation-inducing agents to the endothelium via recognition of 20 VEGF/VEGF receptor or Angiopoietin/Tie receptor systems,
- f) delivery systems, such as antibodies, ligands, high-affinity binding oligonucleotides or oligopeptides, or liposomes, which are targeted to the endothelium and induce necrosis or apoptosis.

These compositions are also claimed matter of the present invention.

25

Also claimed matter of the present invention are pharmaceutical compositions which comprise as compound I and/ or II at least one of Seq. ID Nos. 1-59.

Of most value are pharmaceutical compositions, which comprise as compound I and/ or II Seq. ID Nos. 34a und pharmaceutical compositions according to claims 30 which comprise as compound I and/ or II at least one of sTie2, mAB 4301-42-35, scFv-tTF and/ or L19 scFv-tTF conjugate.

Further preferred matter of the present invention are pharmaceutical compositions, which comprise as compound I and/ or II at least one small molecule of general formula I, general formula IV and/ or general formula V.

5 The most preferred compound which can be used as compound I or II in the inventive composition is (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate.

Therefore, claimed matter of the present invention are also pharmaceutical compositions, which comprise as compound I (4-Chlorophenyl)[4-(4-

10 pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate, sTie2, mAB 4301-42-35, scFv-tTF and/ or L19 scFv-tTF conjugate, and as compound II (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate, sTie2, mAB 4301-42-35, scFv-tTF and/ or L19 scFv-tTF conjugate, with the proviso that compound I is not identically to compound II, and most preferred 15 pharmaceutical compositions, which comprise as compound I (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate and as compound II sTie2, mAB 4301-42-35, scFv-tTF and/ or L19 scFv-tTF conjugate; pharmaceutical compositions, which comprise as compound I mAB 4301-42-35 and as compound II sTie2, and/ or scFv-tTF conjugate; pharmaceutical 20 compositions, which comprise as compound I scFv-tTF conjugate and as compound II sTie2 and/ or mAB 4301-42-35; pharmaceutical compositions, which comprise as compound I L19 scFv-tTF conjugate and as compound II sTie2.

The small molecule compounds, proteins and DNA's expressing proteins, as 25 mentioned above can be used as medicament alone, or in form of formulations for the treatment of tumors, cancers, psoriasis, arthritis, such as rheumatoide arthritis, hemangioma, angiofibroma, eye diseases, such as diabetic retinopathy, neovascular glaucoma, kidney diseases, such as glomerulonephritis, diabetic nephropathy, malignant nephrosclerosis, thrombotic microangiopathic syndrome, 30 transplantation rejections and glomerulopathy, fibrotic diseases, such as cirrhotic liver, mesangial cell proliferative diseases, arteriosclerosis and damage of nerve tissues.

The treatment of the damaged nerve tissues with the inventive combination hinders the rapid formation of scars at the damaged position. Thus, there is no

scar formation before the axons communicate with each other. Therefore a reconstruction of the nerve bindings is much more easier.

Further, the inventive combinations can be used for suppression of the ascites

5 formation in patients. It is also possible to suppress VEGF oedemas.

For the use of the inventive combinations as medicament the compounds will be formulated as pharmaceutical composition. Said formulation comprises beside the active compound or compounds acceptable pharmaceutically, organically or inorganically inert carriers, such as water, gelatine, gum arabic, lactose, starch, 10 magnesium stearate, talcum, plant oils, polyalkylene glycols, etc. Said pharmaceutical preparations can be applied in solid form, such as tablets, pills, suppositories, capsules, or can be applied in fluid form, such as solutions, suspensions or emulsions.

If necessary, the compositions additionally contain additives, such as

15 preservatives, stabilizer, detergents or emulgators, salts for alteration of the osmotic pressure and/ or buffer.

These uses are also claimed matter of the instant invention, as well as the formulations of the active compounds

20 For parenteral application especially injectable solutions or suspensions are suitable, especially hydrous solutions of the active compound in polyhydroxyethoxylated castor-oil are suitable.

As carrier also additives can be used, such as salts of the gallic acid or animal or plant phospholipids, as well as mixtures thereof, and liposomes or ingredients 25 thereof.

For oral application especially suitable are tablets, pills or capsules with talcum and/ or hydrocarbon carriers or binders, such as lactose, maize or potato starch.

The oral application can also be in form of a liquid, such as juice, which optionally contains a sweetener.

30 The dosis of the active compound differs depending on the application of the compound, age and weight of the patient, as well as the form and the progress of the disease.

The daily dosage of the active compound is 0,5-1000 mg, especially 50-200 mg. The dosis can be applied as single dose or as two or more daily dosis.

These formulations and application forms are also part of the instant invention.

Combined functional interference with VEGF/VEGF receptor systems and with

5 Angiopoietin/Tie receptor systems can be performed simultaneously, or in sequential order such that the biological response to interference with one ligand/receptor system overlaps with the biological response to interference with a second ligand/receptor system. Alternatively, combined functional interference with VEGF/VEGF receptor systems or with Angiopoietin/Tie receptor systems and

10 targeting of cytotoxic agents via VEGF/VEGF receptor systems or via Angiopoietin/Tie receptor systems can be performed simultaneously, or in sequential order such that the biological response to functional interference with a ligand/receptor system overlaps in time with targeting of cytotoxic agents.

15 The invention is also directed to a substance which functional interferes with both VEGF/VEGF receptor systems and Angiopoietin/Tie receptor systems, or which are targeted via both VEGF/VEGF receptor systems and Angiopoietin/Tie receptor systems.

20 VEGF/VEGF receptor systems include the ligands VEGF-A, VEGF-B, VEGF-C, VEGF-D, PIGF, and the receptor tyrosine kinases VEGF-R1 (Flt1), VEGF-R2 (KDR/Flk1), VEGF-R3 (Flt4), and their co-receptors (i.e. neuropilin-1). Angiopoietin/Tie receptor systems include Ang1, Ang2, Ang3/Ang4, and angiopoietin related polypeptides which bind to Tie1 or to Tie2, and the receptor

25 tyrosine kinases Tie1 and Tie2.

Pharmaceutical compositions of the present invention can be used for medicinal purposes. Such diseases are, for example, cancer, cancer metastasis, angiogenesis including retinopathy and psoriasis. Pharmaceutical compositions of

30 the present invention can be applied orally, parenterally, or via gene therapeutic methods.

Therefor the present invention also concerns the use of pharmaceutical compositions for the production of a medicament for the treatment of tumors,

cancers, psoriasis, arthritis, such as rheumatoide arthritis, hemangioma, angiofibroma, eye diseases, such as diabetic retinopathy, neovascular glaucoma, kidney diseases, such as glomerulonephritis, diabetic nephropathie, malignant nephrosclerosis, thrombic microangiopathic syndrome, transplantation rejections
5 and glomerulopathy, fibrotic diseases, such as cirrhotic liver, mesangial cell proliferative diseases, arteriosclerosis, damage of nerve tissues, suppression of the ascites formation in patients and suppression of VEGF oedemas.

The following examples demonstrate the feasibility of the disclosed invention, without restricting the invention to the disclosed examples.

5 **Example 1**

Superior effect on inhibition of tumor growth via combination of inhibition of the VEGF A/VEGF receptor system together with functional interference with the Angiopoietin/Tie2 receptor system over separate modes of intervention was demonstrated in an A375v human melanoma xenograft model.

10

Human melanoma cell line A375v was stably transfected to overexpress the extracellular ligand-neutralizing domain of human Tie2 receptor tyrosine kinase (sTie2; compound II) (Siemeister et al., Cancer Res. 59, 3185-3191, 1999). For control, A375v cells were stably transfected with the empty expression vector

15 (A375v/pCEP). Swiss *nu/nu* mice were s.c. injected with 1×10^6 transfected A375v/sTie2 or A375v/pCEP tumor cells, respectively. Animals receiving compound I were treated for up to 38 days with daily oral doses of 50 mg/kg of the VEGF receptor tyrosine kinase inhibitor (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate (Wood et al., Cancer Res. 60, 2178-2189, 2000). Various modes of treatment are described in Table 1. Tumor growth was determined by caliper measurement of the largest diameter and its perpendicular.

Table 1

treatment group	mode of treatment		sTie2 (compound II)
	(4-Chlorophenyl)[4-(4-pyridylmethyl)- phthalazin-1-yl]ammonium hydrogen succinate	(compound I)	
Group 1: A375v/pCEP	-	-	-
Group 2: A375v/pCEP	+	-	-
Group 3: A375v/sTie2	-	[?]	+
Group 4: A375v/sTie2	+	-	+

5 Tumors derived from A375v/pCEP control cells reached a size of approx. 250 mm² (mean area) within 24 days (Figure 1) without treatment (group 1). Separate treatment with the VEGF receptor inhibitor (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate (compound I, treatment group 2) or separate interference with Angiopoietin/Tie2 receptor system by means of expression of sTie2 (compound II, treatment group 3) delayed growth of tumors to a size of approx. 250 mm² to 31 days, respectively. Combination of interference with the Angiopoietin/Tie2 system by means of expression of sTie2 and of interference with the VEGF/VEGF receptor system by means of the kinase inhibitor (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate (compound I + compound II, treatment group 4) delayed growth of the tumors to a size of approx. 250 mm² to 38 days.

This result clearly demonstrates the superior effect of a combination of interference with the VEGF-A/VEGF receptor system and the Angiopoietin/Tie2 receptor system over separate modes of intervention.

Example 2

Combination of functional interference with the Angiopoietin/Tie2 receptor system and neutralization of VEGF-A is superior to separate modes of intervention in

5 inhibition of tumor growth.

Tumors derived from A375v/sTie2 cells and from A375v/pCEP cells were induced in nude mice as described in example 1. Animals receiving compound I were treated twice weekly over a period of time of 4 weeks with intraperitoneal doses of

10 200 µg of the VEGF-A-neutralizing monoclonal antibody (mAb) 4301-42-35 (Schlaeppi et al., J. Cancer Res. Clin. Oncol. 125, 336-342, 1999). Various modes of treatment are described in Table 2. Animals were sacrificed for ethical reasons when tumors of group 1 exceeded a volume of approx. 1000 mm³. Tumor growth was determined by caliper measurement of the largest diameter and its

15 perpendicular.

Table 2

treatment group	mode of treatment	
	mAb 4301-42-35 (compound I)	sTie2 (compound II)
Group 1: A375v/pCEP	-	-
Group 2: A375v/pCEP	+	-
Group 3: A375v/sTie2	-	+
Group 4: A375v/sTie2	+	+

Tumors derived from A375v/pCEP control cells reached a size of approx. 1000

20 mm³ within 28 days (Figure 2) without treatment (group 1). Tumors treated with the VEGF-A-neutralizing mAb 4301-42-35 (compound I, treatment group 2) grew to a volume of approx. 450 mm³ within 28 days. Interference with

Angiopoietin/Tie2 receptor system by means of expression of sTie2 (compound II, treatment group 3) reduced growth of tumors within 28 day to a volume of approx. 600 mm², respectively. Combination of interference with the Angiopoietin/Tie2 system by means of expression of sTie2 and neutralizing of VEGF-A by means of 5 the mAb 4301-42-35 (compound I + compound II, treatment group 4) resulted in a inhibition of tumor growth to a volume of approx. 250 mm³ within 28 days.

The superior effect of a combination of neutralization of VEGF-A and functional 10 interference with the Angiopoietin/Tie2 receptor system over separate modes of intervention is clearly shown.

Example 3

Combination of functional interference with the Angiopoietin/Tie2 receptor system and targeting of a coagulation-inducing protein via the VEGF/VEGF receptor system is superior to separate modes of intervention in inhibition of tumor growth.

5

Tumors derived from A375v/sTie2 cells and from A375v/pCEP cells were induced in nude mice as described in example 1. A single chain antibody (scFv) specifically recognizing the human VEGF-A/VEGF receptor I complex (WO 99/19361) was expressed in *E. coli* and conjugated to coagulation-inducing 10 recombinant human truncated tissue factor (tTF) by methods described by Ran et al. (Cancer Res. 58, 4646-4653, 1998). When tumors reached a size of approx. 200 mm³ animals receiving compound I were treated on day 0 and on day 4 with intravenous doses of 20 µg of the scFv-tTF conjugate. Various modes of treatment are described in Table 3. Animals were sacrificed for ethical reasons 15 when tumors of group 1 exceeded a volume of approx. 1000 mm³. Tumor growth was determined by caliper measurement of the largest diameter and its perpendicular.

Table 3

treatment group	mode of treatment	
	scFv-tTF conjugate (compound I)	sTie2 (compound II)
Group 1: A375v/pCEP	-	-
Group 2: A375v/pCEP	+	-
Group 3: A375v/sTie2	-	+
Group 4: A375v/sTie2	+	+

Tumors derived from A375v/pCEP control cells reached a size of approx. 1000 mm³ within 28 days (Figure 3) without treatment (group 1). Tumors treated with the coagulation-inducting tTF targeted to the VEGF-A/VEGF receptor I complex via the scFv-tTF conjugate (compound I, treatment group 2) grew to a volume of 5 approx. 500 mm³ within 28 days. Interference with Angiopoietin/Tie2 receptor system by means of expression of sTie2 (compound II, treatment group 3) reduced growth of tumors within 28 day to a volume of approx. 600 mm², respectively. Combination of interference with the Angiopoietin/Tie2 system by means of expression of sTie2 and of targeting the VEGF receptor complex 10 (compound I + compound II, treatment group 4) resulted in a inhibition of tumor growth to a volume of approx. 300 mm³ within 28 days.

The superior effect of a combination of targeting of the coagulation-inducting tTF to the VEGF-A/VEGF receptor I complex and functional interference with the Angiopoietin/Tie2 receptor system over separate modes of intervention is clearly 15 shown. Similar effects can be expected upon targeting of cytotoxic agents to VEGF/VEGF receptor systems.

Example 4

Combination of functional interference with the VEGF/VEGF receptor system and targeting of a coagulation-inducing protein via the VEGF/VEGF receptor system is

5 superior to separate modes of intervention in inhibition of tumor growth.

Tumors derived from A375v/pCEP cells were induced in nude mice as described in example 1. Animals receiving compound I were treated for up to 28 days with daily oral doses of 50 mg/kg of the VEGF receptor tyrosine kinase inhibitor (4-

10 Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate (Wood et al., Cancer Res. 60, 2178-2189, 2000). Compound II consists of a single chain antibody (scFv) specifically recognizing the human VEGF-A/VEGF receptor I complex (WO 99/19361) which was expressed in E. coli and conjugated to coagulation-inducing recombinant human truncated tissue factor (tTF) by methods 15 described by Ran et al. (Cancer Res. 58, 4646-4653, 1998). When tumors reached a size of approx. 200 mm³ animals receiving compound II were treated on day 0 and on day 4 with intravenous doses of 20 µg of the scFv-tTF conjugate. Various modes of treatment are described in Table 4. Animals were sacrificed for ethical 20 reasons when tumors of group 1 exceeded a volume of approx. 1000 mm³. Tumor growth was determined by caliper measurement of the largest diameter and its perpendicular.

Table 4

treatment group	mode of treatment	
	(4-Chlorophenyl)[4-(4-pyridylmethyl)-phthal-azin-1-yl]ammonium hydrogen succinate (compound I)	scFv-tTF conjugate (compound II)
Group 1: A375v/pCEP	-	-
Group 2: A375v/pCEP	+	-
Group 3: A375v/pCEP	-	+
Group 4: A375v/pCEP	+	+

5 Tumors derived from A375v/pCEP control cells reached a size of approx. 1000 mm³ within 28 days (Figure 4) without treatment (group 1). Separate treatment with the VEGF receptor inhibitor (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate (compound I, treatment group 2) resulted in a reduction of the tumor volumes to approx. 550 mm³. Tumors treated with the 10 coagulation-inducting tTF targeted to the VEGF-A/VEGF receptor I complex via the scFv-tTF conjugate (compound II, treatment group 3) grew to a volume of approx. 500 mm³ within 28 days. Combination of inhibition of VEGF receptor tyrosine kinase by means of (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate and of targeting the VEGF receptor complex 15 (compound I + compound II, treatment group 4) resulted in a inhibition of tumor growth to a volume of approx. 400 mm³ within 28 days.

The superior effect of a combination of targeting of the coagulation-inducting tTF to the VEGF-A/VEGF receptor I complex and functional interference with the 20 VEGF/VEGF receptor system over separate modes of intervention is clearly

shown. Similar effects can be expected upon targeting of cytotoxic agents to
Angiopoietin/Tie receptor systems.

Example 5

Combination of functional interference with the Angiopoietin/Tie2 receptor system and endothelium-specific targeting of a coagulation-inducing protein is superior to

5 separate modes of intervention in inhibition of tumor growth.

Tumors derived from A375v/sTie2 cells and from A375v/pCEP cells were induced in nude mice as described in example 1. A fusion protein (L19 scFv-tTF) consisting of L19 single chain antibody specifically recognizing the oncofoetal ED-

10 B domain of fibronectin and the extracellular domain of tissue factor was expressed in *E. coli* as described by Nilsson et al. (Nat. Med., in press). Further, L19 scFv-tTF data have been represented by D. Neri and F. Nilsson (Meeting "Advances in the application of monoclonal antibodies in clinical oncology", Samos, Greece, 31. May-2. June 2000). When tumors reached a size of approx.

15 200 mm³ animals receiving compound I were treated with a single intravenous dose of 20 µg of L19 scFv-tTF in 200 µl saline. Various modes of treatment are described in Table 5. Animals were sacrificed for ethical reasons when tumors of group 1 exceeded a volume of approx. 1000 mm³. Tumor growth was determined by caliper measurement of the largest diameter and its perpendicular.

20

Table 5

treatment group	mode of treatment	
	L19 scFv-tTF (compound I)	sTie2 (compound II)
Group 1: A375v/pCEP	-	-
Group 2: A375v/pCEP	+	-
Group 3: A375v/sTie2	-	+
Group 4: A375v/sTie2	+	+

Tumors derived from A375v/pCEP control cells reached a size of approx. 1000 mm³ within 28 days (Figure 5) without treatment (group 1). Tumors treated with the coagulation-inducting L19 scFv-tTF (compound I, treatment group 2) grew to a 5 volume of approx. 450 mm³ within 28 days. Interference with Angiopoietin/Tie2 receptor system by means of expression of sTie2 (compound II, treatment group 3) reduced growth of tumors within 28 day to a volume of approx. 600 mm², respectively. Combination of interference with the Angiopoietin/Tie2 system by means of expression of sTie2 and of targeting the endothelium with L19 scFv-tTF 10 (compound I + compound II, treatment group 4) resulted in a inhibition of tumor growth to a volume of approx. 250 mm³ within 28 days.

The superior effect of a combination of targeting of L19 scFv-tTF to the endothelium and functional interference with the Angiopoietin/Tie2 receptor system over separate modes of intervention is clearly shown.

Example 6

Combination of functional interference with the VEGF/VEGF receptor system and endothelium-specific targeting of a coagulation-inducing protein is superior to

5 separate modes of intervention in inhibition of tumor growth.

Tumors derived from A375v/pCEP cells were induced in nude mice as described in example 1. Animals receiving compound I were treated for up to 28 days with daily oral doses of 50 mg/kg of the VEGF receptor tyrosine kinase inhibitor (4-
10 Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate (Wood et al., Cancer Res. 60, 2178-2189, 2000). Compound II consists of L19 scFv-tTF fusion protein as described in example 5. When tumors reached a size of approx. 200 mm³ animals receiving compound II were treated with a single intravenous dose of 20 µg of L19 scFv-tTF in 200 µl saline. Various modes of
15 treatment are described in Table 6. Animals were sacrificed for ethical reasons when tumors of group 1 exceeded a volume of approx. 1000 mm³. Tumor growth was determined by caliper measurement of the largest diameter and its perpendicular.

Table 6

mode of treatment			
treatment group	(4-Chlorophenyl)[4-(4-pyridylmethyl)-phthal-azin-1-yl]ammonium hydrogen succinate (compound I)		L19 scFv-tTF (compound II)
Group 1: A375v/pCEP	-	-	-
Group 2: A375v/pCEP	+	-	-
Group 3: A375v/pCEP	-	-	+
Group 4: A375v/pCEP	+	-	+

5

Tumors derived from A375v/pCEP control cells reached a size of approx. 1000 mm³ within 28 days (Figure 6) without treatment (group 1). Separate treatment with the VEGF receptor inhibitor (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate (compound I, treatment group 2) resulted in a reduction of the tumor volumes to approx. 550 mm³. Tumors treated with the coagulation-inducting L 19 scFv-tTF targeted to the endothelium (compound II, treatment group 3) grew to a volume of approx. 450 mm³ within 28 days. Combination of inhibition of VEGF receptor tyrosine kinase by means of (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate and of targeting the VEGF receptor complex (compound I + compound II, treatment group 4) resulted in a inhibition of tumor growth to a volume of approx. 200 mm³ within 28 days.

The superior effect of a combination of targeting of L19 scFv-tTF to the endothelium and functional interference with the VEGF/VEGF receptor system over separate modes of intervention is clearly shown.

5

10

Description of the figures

Fig. 1 shows the superior effect of combination of interference with VEGF/VEGF receptor system by means of an specific tyrosine kinase inhibitor and with the

5 Angiopoietin/Tie2 receptor system by means of a soluble receptor domain on inhibition of tumor growth (treatment modes of groups 1-4 are given in Table 1).

The abbreviations have the following meaning:

mock, con.	=	treatment group 1
mock+VEGF-A	=	treatment group 2
10 sTIE2-cl13	=	treatment group 3
sTIE2-cl13+VEGF-A	=	treatment group 4

Fig. 2 shows the superior effect on tumor growth inhibition of combination of

15 VEGF-neutralization and functional interference with Angiopoietin/Tie2 receptor system over separate modes of intervention (treatment modes of groups 1-4 are given in Table 2).

20 Fig. 3 shows the superior effect on tumor growth inhibition of combination of targeting of the coagulation-inducing tTF to the VEGF/VEGF receptor I complex via a scFv-tTF conjugate and functional interference with Angiopoietin/Tie2 receptor system over separate modes of intervention (treatment modes of groups 1-4 are given in Table 3).

25

Fig. 4 shows the superior effect on tumor growth inhibition of combination of targeting of the coagulation-inducing tTF to the VEGF/VEGF receptor I complex via a scFv-tTF conjugate and functional interference with VEGF/VEGF receptor system by means of the VEGF receptor tyrosine kinase inhibitor (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate over separate modes of intervention (treatment modes of groups 1-4 are given in Table 4).

Fig. 5 shows the superior effect on tumor growth inhibition of combination of targeting of the coagulation-inducing L19 scFv-tTF fusion protein to the endothelium and functional interference with Angiopoietin/Tie2 receptor system over separate modes of intervention (treatment modes of groups 1-4 are given in 5 Table 5).

Fig. 6 shows the superior effect on tumor growth inhibition of combination of targeting of the coagulation-inducing L19 scFv-tTF fusion protein to the endothelium and functional interference with VEGF/VEGF receptor system by means of the VEGF receptor tyrosine 10 kinase inhibitor (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate over separate modes of intervention (treatment modes of groups 1-4 are given in Table 6).

CLAIMS

1. Pharmaceutical compositions comprising one or several agents as compound I which modulate the biological function of one or several of the VEGF/VEGF receptor systems, and comprising one or several agents as compound II which modulate the biological function of one or several of the Angiopoietin/Tie receptor systems.
2. Pharmaceutical compositions comprising one or several agents as compound I which are targeted to the endothelium via of one or several of the VEGF/VEGF receptor systems, and comprising one or several agents as compound II which modulate the biological function of one or several of the Angiopoietin/Tie receptor systems.
- 15 3. Pharmaceutical compositions comprising one or several agents as compound I which modulates the biological function of one or several of the VEGF/VEGF receptor systems or of one or several of the Angiopoietin/ Tie receptor systems and comprising one or several agents as compound II which are targeted to the endothelium.
- 20 4. Pharmaceutical compositions comprising one or several agents as compound I which modulate the biological function of one or several of the VEGF/VEGF receptor systems, and comprising one or several agents as compound II which are targeted to the endothelium via one or several of the Angiopoietin/Tie receptor systems.
- 25 5. Pharmaceutical compositions comprising one or several agents as compound I which are targeted to the endothelium via one or several of the VEGF/VEGF receptor systems, and comprising one or several agents as compound II which are targeted to the endothelium via one or several of the Angiopoietin/Tie receptor systems.
- 30 6. Pharmaceutical compositions comprising one or several agents as compound I which modulate the biological function of one or several of the VEGF/VEGF

receptor systems, and comprising one or several agents as compound II which are targeted to the endothelium via one or several of the VEGF/VEGF receptor systems.

5 7. Pharmaceutical compositions comprising one or several agents as compound I which modulate the biological function of one or several of the Angiopoietin/Tie receptor systems, and comprising one or several agents as compound II which are targeted to the endothelium via one or several of the Angiopoietin/Tie receptor systems.

10

8. Pharmaceutical compositions comprising one or several agents which interfere with both the function of one or several of the VEGF/VEGF receptor systems and the function of one or several of the Angiopoietin/Tie receptor systems.

15 9. Pharmaceutical compositions according to claims 1-8 which are intended for simultaneous or separate sequential therapeutical application.

10. Pharmaceutical compositions according to claims 1-8 which comprise as compound I at least one of

- 20 a) compounds which inhibit receptor tyrosine kinase activity,
- b) compounds which inhibit ligand binding to receptors,
- c) compounds which inhibit activation of intracellular signal pathways of the receptors,
- d) compounds which inhibit or activate expression of a ligand or of a receptor of the VEGF or Tie receptor system,
- 25 e) delivery systems, such as antibodies, ligands, high-affinity binding oligonucleotides or oligopeptides, or liposomes, which target cytotoxic agents or coagulation-inducing agents to the endothelium via recognition of VEGF/VEGF receptor or Angiopoietin/Tie receptor systems,
- 30 f) delivery systems, such as antibodies, ligands, high-affinity binding oligonucleotides or oligopeptides, or liposomes, which are targeted to the endothelium and induce necrosis or apoptosis.

11. Pharmaceutical compositions according to claims 1-8 which comprise as compound II at least one of

- g) compounds which inhibit receptor tyrosine kinase activity,
- h) compounds which inhibit ligand binding to receptors,
- 5 i) compounds which inhibit activation of intracellular signal pathways of the receptors,
- j) compounds which inhibit or activate expression of a ligand or of a receptor of the VEGF or Tie receptor system,
- 10 k) delivery systems, such as antibodies, ligands, high-affinity binding oligonucleotides or oligopeptides, or liposomes, which target cytotoxic agents or coagulation-inducing agents to the endothelium via recognition of VEGF/VEGF receptor or Angiopoietin/Tie receptor systems,
- 15 l) delivery systems, such as antibodies, ligands, high-affinity binding oligonucleotides or oligopeptides, or liposomes, which are targeted to the endothelium and induce necrosis or apoptosis.


12. Pharmaceutical compositions according to claims 1-11 which comprise as compound I and/ or II at least one of Seq. ID Nos. 1-59.

20 13. Pharmaceutical compositions according to claims 1-11 which comprise as compound I and/ or II Seq. ID Nos. 34a

14. Pharmaceutical compositions according to claims 1-11 which comprise as compound I and/ or II at least one of sTie2, mAB 4301-42-35, scFv-tTF and/ or L19 scFv-tTFconjugate.

30 15. Pharmaceutical compositions according to claims 1-11 which comprise as compound I and/ or II at least one small molecule of genaral formula I

41




in which


5 r has the meaning of 0 to 2,
n has the meaning of 0 to 2;

R_3 und R_4

- a) each independently from each other have the meaning of lower alkyl,
- b) together form a bridge of general partial formula II,



20




		wherein one or two of the ring members T ₁ , T ₂ , T ₃ , T ₄ has the meaning of nitrogen, and each others have the meaning of CH, and the bining is via the atoms T ₁ and T ₄ ;
5		
	G	has the meaning of C ₁ - C ₆ - alkyl, C ₂ - C ₆ - alkylene or C ₂ - C ₆ - alkenylene; or C ₂ - C ₆ - alkylene or C ₃ - C ₆ - alkenylene, which are substituted with acyloxy or hydroxy; -CH ₂ -O-, -CH ₂ -S-, -CH ₂ -NH-, -CH ₂ -O-CH ₂ -, -CH ₂ -S-CH ₂ -, -CH ₂ -NH-CH ₂ , oxa (-O-) or thia (-S-) or imino (-NH-),
10		
	A, B, D, E and T	independently from each other have the meaning of N or CH, with the proviso that not more than three of these Substituents have the meaning of N,
15		
	Q	has the meaning of lower alkyl, lower alkyloxy or halogene,
	R ₁ and R ₂	independently from each other have the meaning of H or lower alkyl,
	X	has the meaning of imino, oxa or thia;
20		
	Y	has the meaning of hydrogene, unsubstituted or substituted aryl, heteroaryl, or unsubstituted or substituted cycloalkyl; and
	Z	has the meaning of amino, mono- or disubstituted amino, halogen, alkyl, substituted alkyl, hydroxy, etherificated or esterificated hydroxy, nitro, cyano, carboxy, esterificated carboxy, alkanoyl, carbamoyl, N-mono- or N, N- disubstituted carbamoyl, amidino, guanidino, mercapto, sulfo, phenylthio, phenyl-lower-alkyl-thio, alkyl-phenyl-thio, phenylsulfinyl, phenyl-lower-alkyl-sulfinyl, alkylphenylsulfinyl, phenylsulfonyl, phenyl-lower-alkan-sulfonyl, or alkylphenylsulfonyl, whereas, if more than one rest Z is present (m≥2), the substituents Z are equal or different from each other, and wherein the bonds marked with an arrow are single
25		
30		

or double bonds; or an N-oxide of said compound,
wherein one or more N-atoms carry an oxygen atom,
or a salt thereof,

and/or a compound of general formula IV


5



in which

10 A has the meaning of group $=NR^2$,
 W has the meaning of oxygen, sulfur, two hydrogen atoms
 or the group $=NR^8$,
 Z has the meaning of the group $=NR^{10}$ or $=N-, -N(R^{10})-$
 $(CH_2)_q$, branched or unbranched C₁₋₆-Alkyl or is the
 group


15



or A, Z and R¹ together form the group

20

44




	m, n and o	has the meaning of 0 – 3,
5	q	has the meaning of 1 – 6,
	$R_a, R_b, R_c, R_d, R_e, R_f$	independently from each other have the meaning of hydrogen, C_{1-4} alkyl or the group $=NR^{10}$, and/ or R_a and/ or R_b together with R_c and or R_d or R_c together with R_e and/ or R_f form a bound, or up to two of the groups R_a-R_f form a bridge with each up to 3 C-atoms with R^1 or R^2 ,
10	X	has the meaning of group $=NR^9$ or $=N-$,
	Y	has the meaning of group $-(CH_2)_p$,
	p	has the meaning of integer 1-4,
15	R^1	has the meaning of unsubstituted or optionally substituted with one or more of halogene, C_{1-6} -alkyl, or C_{1-6} -alkyl or C_{1-6} -alkoxy, which is optionally substituted by one or more of halogen, or is unsubstituted or substituted aryl or heteroaryl,
20	R^2	has the meaning of hydrogen or C_{1-6} -alkyl, or form a bridge with up to 3 ring atoms with R_a-R_f together with Z or R_1 ,
	R^3	has the meaning of monocyclic or bicyclic aryl or heteroaryl which is unsubstituted or optionally
25		

substituted with one or more of für halogen, C₁₋₆-alkyl, C₁₋₆-alkoxy or hydroxy,

R⁴, R⁵, R⁶ and R⁷

independently from each other have the meaning of hydrogen, halogene or C₁₋₆-alkoxy, C₁₋₆-alkyl or C₁₋₆-carboxyalkyl, which are unsubstituted or optionally substituted with one or more of halogene, or R⁵ and R⁶ together form the group




R⁸, R⁹ and R¹⁰

independently from each other have the meaning of hydrogen or C₁₋₆-alkyl, as well as their isomers and salts,

5

and/ or a compound of general formula V

10



V,


15

in which

R¹ has the meaning of group


20

46




in which R^5 is chloro, bromo or the group $-OCH_3$,

5



in which R^7 is $-CH_3$ or chloro,




in which R^8 is -CH₃, fluoro,
chloro or -CF₃

5

in which R^4 is fluoro,
chloro, bromo, -CF₃,
-N=C, -CH₃, -OCF₃ or
-CH₂OH

in which R^6 is
-CH₃ or chloro

R^2 has the meaning of pyridyl or the group



10

and

R^3 has the meaning of hydrogen or fluoro, as well as their
isomers and salts.

16. Pharmaceutical compositions according to claim 15 which comprise as

15 compound I and/ or II (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate

17. Pharmaceutical compositions according to claims 1-16 which comprise as

20 compound I (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate, sTie2, mAB 4301-42-35, scFv-tTF and/ or L19 scFv-tTF conjugate, and as compound II (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium hydrogen succinate Tie2, mAB 4301-42-35, scFv-tTF and/ or L19 scFv-tTF conjugate, with the provisio that compound I is not identically to compound II.

25

18. Pharmaceutical compositions according to claims 1-17 which comprise as compound I (4-Chlorophenyl)[4-(4-pyridylmethyl)-phthalazin-1-yl]ammonium

hydrogen succinate and as compound II sTie2, mAB 4301-42-35, scFv-tTF and/ or L19 scFv-tTF conjugate.

19. Pharmaceutical compositions according to claims 1-17 which comprise as
5 compound I mAB 4301-42-35 and as compound II sTie2, and/ or scFv-tTF
conjugate.

20. Pharmaceutical compositions according to claims 1-17 which comprise as
compound I scFv-tTF conjugate and as compound II sTie2 and/ or mAB 4301-
10 42-35.

21. Pharmaceutical compositions according to claims 1-17 which comprise as
compound I L19 scFv-tTF conjugate and as compound II sTie2.

15 22. Use of pharmaceutical compositions according to claims 1-21, for the
production of a medicament for the treatment of tumors, cancers, psoriasis,
arthritis, such as rheumatoide arthritis, hemangioma, angiofibroma, eye
diseases, such as diabetic retinopathy, neovascular glaucoma, kidney
diseases, such as glomerulonephritis, diabetic nephropathie, malignant
20 nephrosclerosis, thrombic microangiopathic syndrome, transplantation
rejections and glomerulopathy, fibrotic diseases, such as cirrhotic liver,
mesangial cell proliferative diseases, arteriosclerosis, damage of nerve
tissues, suppression of the ascites formation in patients and suppression of
VEGF oedemas.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

Sequence Identifier

5

<110> Schering Aktiengesellschaft

10 <120> Combinations and compositions which interfere with VEGF/ VEGF and
angiopoietin/ Tie receptor function and their use II

<130> 51867AEPM1XX00-P

15 <140>
<141>

<160> 59

20 <210> 1
<211> 1835
<212> DNA
<213> Human

25 <400> 1

tttacagtt ttccctttct tcagagttta ttttgaattt tcatttttgg ataaccacgc 60
agctcttaa gaagaatgca cagaagagtc attctggcac ttttggataa tacataagat 120
tttctttttt ttttttaaat ttttttaat agtcacattc agctcgcttg ctcaaaccag 180
actccccat tgggtgagca agatgagccc ataggattcc agagtttaata cgtaaccgta 240
20 tatacaaaca gccaaaaaac cataatggtg ccacaggat ggagcaggga agggcatctc 300
taacgtgtcc tctagtctat cttcgcttaaa cagaacccac gttacacatg ataactagag 360
agcacactgt gttgaaacga ggatgtgc cccaaatggc acttggcagc atgcgttta 420
aagcaaaga gacatccctt aaaaactgtt aaaaactccag gcaattccat taaagggggtt 480
aagaaaaacca acaaacaacaa aaagcgaggg actgtctgtt gtcactgtca aaaaggcact 540
30 tggagttaat gggaccagga ttggaggact cttagctgat acagatttca gtacgatttc 600
attaaaaggc ttggatgtta agagaggaca ctcagcggtt cctgaaggga gacgctgaga 660
tggaccgctg agaagcggaa cagatgaaca caaaggaatc aaatctttac aaccaaattt 720
catttaagcg acaaacaaaaaa aaggcaaaacc cccaaacgcac acctaaccac agcaaattct 780
aagcaaatac agacaacgaa gcagcgtatgc atagcttcc tttagagagaa cgcataccct 840
40 gagacgtac gtgccaacct aagtctcaa cgacagctt acagtaggtt tattgtgata 900
aaaatgactc aagcgtatgc aaaaatttca tctgtttccaa gaatccgagg gagaactgag 960
gtgatcgtaa ggcatacgac acatcacgtg cggttttta atgtccctgg tggcgatac 1020
gcccgttcc cggaaaggaca tctggacacc actttcagcc acctcccttc agggccgaca 1080
45 tccggccaaag tccatccctta ttccgagtaa taacttaat tcctttctaa catttacacg 1140
gcaaacaagga atcgataaa cgtccacgtc cgtccccacgg ctgggctgcc gttccgttcc 1200
ctccacgaac gggtaacgcgc ttccatgaga aaggatattt ggcaatttta tattccacag 1260
tcagggtgggt ctgcgtatgc tcatttaatg ttaaacgcac tcaggggcct ctcctccctgt 1320
ttctgccagg ggcttttctt gtcttcctt tggcgagctc gtggggcagat cttctctgg 1380
50 gggggctggc tgctggctcc gagggggcat cccgagtcgtc tctgggtcgcc tcctcctgca 1440
ggctgggcag ctggccacca cttctccgac tcgacccctc caacaagcat cgcaggcac 1500
tgtctccggg gtacacgacc gtggtcccac attcgatacc actctgttcc acgtcatcca 1560
ggtaacacgag ctgcgtgttag gcccgtgtgt ctggggctcg aggcttttc tgctgggtct 1620
cttgacggg cgggttagttc tgctgcagag acaaagcatc tccccttccc ttccgggctg 1680
55 attttggttc attcatatct acgcccagagt ccaaactggc atcattactt cgcgttccctc 1740
cagcttttg gagaatcaat gtatgaatgt ctaacctgac cgttggaccc gccatccaag 1800
gagacgaacc acgcccgggg gtgcggaaagc ggcct

60 <210> 2
<211> 581
<212> DNA
<213> Human

<400> 2

5 gttcttagatt gtttttattca gtaattagct cttaaagaccc ctggggcctg tgctaccag 60
 acactaaca cagctcttat ccagttctg gttctgggt acgtgatctc cccatcatga 120
 tcaacttact tcctgtggcc cattaggaa gtggtgacct cggagactat ttgccttt 180
 agtgcacaca cctggaaaca tactgctctc atttttcat ccacatcagt gagaatgag 240
 tggcccgta gcaagata actatgcaat catgcaacaa agtgcctaa taacattca 300
 tttattacag gactaaaaatg tcattattgt ttgtaaagga tgaattcata acctctgcag 360
 10 agttatagtt catacacagt tgatttccat ttataaaggc agaaaagtctt tgtttctct 420
 aaatgtcaag ctttgactga aaactccgt tttccagtc actggagtgt gtgcgtatga 480
 aagaaaatct ttagcaatta gatgggagag aaggaaata gtacttgaaa tgtaggccct 540
 cacctccccca tgacatcctc catgagccctc ctgatgtat g

15 <210> 3
 <211> 516
 <212> DNA
 <213> Human

20 <400> 3

tagagatgtt gggtgatgac ccccggtatc tggagcagat gaatgaagag tctctggaaag 60
 tcagccaga catgtgcatc tacatcacag aggacatgtt catgtcgccg aacctgaatg 120
 25 gacactctgg gttgattgtt aaagaaattt ggtctccac ctgcagctt tcagaaacag 180
 ttgttaagtt tcgtggccag agtactgtt ctcttccaca gactatatgtt cggaaaccaa 240
 agacccctccac ttagcgcacac agcttgcacat tcgatgacat cagactttac cagaaagact 300
 tccgtgcacat tgcaggatctg tgcaggaca ctgctccagag ttacacccctt ggtatggcc 360
 atgaacttgcg tggaaaggc ctctatttgc acagttgtt ggcccgccatc tgcataaca 420
 30 tccaagatgtc tttccagtc aaaagaacca gcaaatactt ttctctggat ctcactcatg 480
 atgaagttcc agatgttgcgtt gtgtaaagtc cgtctg

<210> 4
 <211> 1099
 <212> DNA
 35 <213> Human

<400> 4

cccacaacac agggggcctg aaacacgcca gcctctccctc tgggtcagc ttggccagt 60
 40 cctgtcaact ggtcacatc ccatttgcatttgggtatgg tggggatca gggccctggc 120
 ccacggggag gtagaagaag acctggtccg tgtaagggtc tgagaagggtt ccctgggtcg 180
 ggggtgcgtc ttggccttgc cgtgcctca tccccggct gaggcagcga cacagcagg 240
 gcaccaactc cagcaggatca agcaccagg agatgatgtt aaccaccaac atgaatgtt 300
 45 tgaagatgtt ctctccgtt gggcgagaga caaaggatc cagcaggatg gggcagggtt 360
 ctgcgtggca cacaacacac ggtccatgtt ccacgcgtt caggcgcacat tggccataga 420
 ggaagactgc ctcttagcaca ctcttgcaga gcacactggc gacatagggtt cccatcatgt 480
 ctccgcggat ggcaggcga ccatcttgc ccacccagat ctggccatc tgacgtctt 540
 cggccgcacat cggccgcctt acctgtgggt ctggcccg cagtgccgc agtccccctt 600
 ccttcgcgc cagccgcctt ttcgcgcag acaggtaaat gacatggccc agtagacca 660
 50 ggggtgggtgt gtcgtacgtt aggaacttgc gcacccagta gggatgttgg gagatgggaa 720
 aggcctggtc atagcagacg ttgggtgcage ctgggtgggc cgtgttacac tggaaatctg 780
 actgtctgtc accccacact gactgcggg ccaggcccaag gatggaggatg cggaaagatgt 840
 agagcaccgt cagccagatc ttacccacca cggtcagatg ctccctggacc tggtcagca 900
 acttcctccac gaagccccatc tcacccatgg ctccggcc tccgtcgccca aggagacaga 960
 55 gcacgtcaat gtgtcagcat ggcacccatc tgggttgcggcc agcaacaagc ctgcaggag 1020
 gtctggccacat cccgttctac cgcctgcctg cggggcggcc caggtggagg tggggacat 1080
 ggcggaggatc acggccgcgc

60 <210> 5
 <211> 1015
 <212> DNA
 <213> Human

<400> 5

65 gaggataggg agcctgggtt caggatgttggt ggagacacag cgagactctg tctccaaaaa 60

aaaaagtgct ttttgaaaat gttgagggtt aatgatggg aaccaacatt ctttggattt 120
 agtggggagc ataatagcaa acacccccc ggttgcaca tgcacaggaa tgggaccagg 180
 ttggggcaca gccatggact tccccccctt ggaatgtgtg gtgeaaagtg gggccaggc 240
 ccagacccaa gaggagaggg tggtccgcag acaccccggt atgtcagcat ccccccac 300
 5 gccttctggc ggcacccccc ggggtctgtg ttgagtcagc aggcattgggg tgagagcctg 360
 gtatatgtg ggaacagggt gcaggggcca agcgttcctc cttcagcctt gacttggcc 420
 atgcacccccc tctcccccac acacaaacaa gcacttctcc agtgcgtgtc caggacagg 480
 gtccctcag tcctctgggt atgacctcaa gtcctacttg ggcctgcag cccagctgt 540
 10 gttgtaacct ctgcgttcctc aagaccacac ctggaagatt ctcttcctt ttgaaggaga 600
 atcatcattt gttgtttatc acttctaaga catttgcattc ggcacggaca agttaaacag 660
 aatgtgttc cctccctggg gtctcacacg ctccccacgg aatgcacacag gggccgtgca 720
 ctggggcaggc ttctctgttag aaccccccagg gcttcggccc agaccacaggc gtcttgcct 780
 gaggctagag cagggagttc cgaacttctg cattcacaca ccacccctac aattgttata 840
 15 accaaaggcc tcctgttctg ttatctcaat taaatcaaca tgcatttttgg ttttactca 900
 cttctgactt tagcctctgtg ctgagccgtg tatccatgca gtcatgttca cgtgttagt 960
 acgtttttct tcttacacat gaaaataaat gcaataagtgt tagaagaaaa aaaaa

<210> 6

20 <211> 2313
 <212> DNA
 <213> Human

<400> 6

25 ccagagcagg cctgggtgt agcaggagc gtgcacccga cggcgggatc gagcaatgg 60
 gtctggccat ggagcacggg gggcttacg ctcggcggg gggcagctct cggggctgtct 120
 ggtattacct ggcgtacttc ttcccttcg ttccttcat ccaatttcctc atcatctgg 180
 ggctcggtct cttcatggtc tatggcaacg tgcacgtgag cacagagtcc aacctgcagg 240
 30 ccacccggcg ccgagccgag ggcctataca gtcagctctt aaggcgtcactc gcctccca 300
 ccaacttgcg caaggaggtc aacttcacca cccgcgcacaa ggatgcacatc atgcagatgt 360
 ggctgaatgc tcgcgcgcac ctggaccgc tcaatggcag ctccgcacaa tgccagggt 420
 accgggtcat ctacacgacaa aatcagaggat acatggctgc tccatcttgc agtggaaagc 480
 aatcagagaga tcaatcgttgc gacatgacaa agactgcga tgccttgcctc ttcatgttgc 540
 atcagaaggat gaagacgtgtt gagggtggaga tagccaaggaa gaagaccatt tgcactaagg 600
 35 ataaggaaag cgtgtgtgt aacaaacccg tggccggagga acagctgggtt gaatgcgtga 660
 aaacccggga gctgcagcac caagagcgc actggccaaag ggcacactgc aaaaggtgca 720
 agccctctgc ctgccttcgtt gcaaggacaa gtttggatg gacccatcgatc acctgtggag 780
 ggactccatt atccccacgcgca gcttggacaa cctgggttac aacctcttacc atccccctggg 840
 40 ctcggaaattt gcttccatcc gcaaggccgtt ccggccatcg cccagccctca tgagctccaa 900
 ggtggaggag ctggcccgga gcctccgggc ggtatgcgaa cgcgtggccc gcgagaactc 960
 agacccatccaa ccccgacaa tggaaaggcca gcaaggccgtt ccggccatcg aggaggcgaa 1020
 acagaaagggtt gagaaggaggg tggaaaggcca gcaaggccgtt ccggccatcg aatgctcccg 1080
 gcagaccccgat ctgcgtctgg aggagaaggc ggtgtcgccg aaggaacggc acaacccatggc 1140
 45 caaggagctg gaagagaagaag aagggggggc ggagccgtc aggtggagc tggccatcg 1200
 aaactcagcc ctggacacactt gcatcaagac caatgcgttgc ccgtatgtgc cagtgtcaag 1260
 gcccattgggc ctgtccccca accccacccatcgatc gcttggatgtt aggaggtaa 1320
 gaggaagatc ctggatgtcc accggccccc tgcaggatc cttgtatggcc catccatgtt 1380
 ctgaggaggc tccaggccgtt aggaccaagg gatggcccgat ctcggccgtt tgccggaggat 1440
 50 gcaggatgtat gtcacacgcg cccgcacaaacc cccctcccg cccggcccaaa ccacccagg 1500
 ccaccatcgatc acaactccctt gcatgcacaa cccctgttacc ctctcataacc cgcaccccg 1560
 cctcgcgttccctcaccatcgatc acaacacccgcg cccggatgtt acgttcacgcgca agcaacccggc 1620
 ctgacgtcac atatcaccgtt ggtgtatggcg tcaatggccatc atgtatgttgcgtt ctcgcacatgt 1680
 tatacgatgtt gtcgtcgatc gatgcacacac gacatggggatc acttggatgtt 1740
 acgttcacacc gagatgcaccc aacgcacgtca cggccatgtt cgcacgttccatcataatgt 1800
 55 tcacacacacatcgatccatcgatc acaacacacaac gacacccatcgatc cccatcgatc ctcgcacatgt 1860
 acaacacacacaatcgatccatcgatc acaacacacaac gacacccatcgatc cccatcgatc tgcacgcatgt 1920
 cccttcacatcgatccatcgatc acaacacacaac gacacccatcgatc cccatcgatc tgcacgcatgt 1980
 acacccggccatcgatccatcgatc acaacacacaac gacacccatcgatc cccatcgatc tgcacgcatgt 2040
 60 ctccctcttccatcgatccatcgatc acaacacacaac gacacccatcgatc cccatcgatc tgcacgcatgt 2100
 gaggtggagaa caggaaggcca ttccatcgatccatcgatc acaacacacaac gacacccatcgatc cccatcgatc tgcacgcatgt 2160
 ctcggggccatcgatccatcgatc acaacacacaac gacacccatcgatc cccatcgatc tgcacgcatgt 2220
 ccccaactccatcgatccatcgatc acaacacacaac gacacccatcgatc cccatcgatc tgcacgcatgt 2280
 agtaaatccatcgatccatcgatc acaacacacaac gacacccatcgatc cccatcgatc tgcacgcatgt 2280

65 <210> 7
 <211> 389

<211> 1002
<212> DNA
<213> Human

5 <400> 14

gacaatataa	aaagtggaaa	caagcataaaa	ttgcagacat	aaaataatct	tctggtagaa	60
acagtgtgg	agaacagggt	gagtagagca	acaacaacaa	aagcttatgc	agtcaccc	120
tttggaaaatg	ttaaataacaa	gtcctattct	cttgc	ctgggtttag	ctagaggtag	180
ccaattactt	ctcttaaggt	ccatggcatt	cgccaggatt	ctataaaaagc	caagttact	240
gaagtaaaaata	tctggggccc	atcgcacccc	cactaagtac	tttgcacca	tgttgtatct	300
taaaagtcat	ttttcactgt	ttgactcaga	atttggact	tcagagtcaa	acttcattgc	360
ttactccaaa	cccagttaa	ttccccactt	tttaagtag	gcttagctt	gagtgatttt	420
tggctataaac	cggaaatgtaa	atccaccc	aaacaacaaa	gtttgacaag	actgaaatgt	480
tactgaaaac	aatggtgcca	tatgctccaa	agacatttc	ccaaagataac	tgccaaagag	540
tttttgagga	ggacaatgtat	cattttat	gtaggagct	tgatatactct	gaaaaataga	600
attaatacag	ctcaaatgg	gttagtaacca	agctttctg	cccgaggaaat	aacaacatc	660
actacgaaca	tgagagtaca	agaggaaat	ttcataatgc	atttttcat	tcataacattc	720
attcaataaa	cattagccaa	gctaattgc	caagccactg	tgccaggat	taacaatata	780
acaacaataa	aaagacaggt	ccttcctc	aaagggttca	gtctagtagg	gaagatgatt	840
attcataaaa	attttggtg	catcagaatc	atgaggagct	tgtaaaaat	gtaaattcct	900
gcctatgttc	tca	tggtaggtc	aggagtggga	acccaaaatc	aattctttt	960
acaaacacta	aaagggtattc	taacacaggc	ggtgtgagga	cc		

25 <210> 15
<211> 280
<212> DNA
<213> Human

30 <400> 15

40 <210> 16
<211> 2041
<212> DNA
<213> Human

<400> 16

45	ccccccgcag aactcccccc tggaaatagga tttttaaaac ccttgcacaat tagaaatcc 60 atagaggta gcattttta ggtaaaata tggttgcacc tacagggatc atgcaacttc 120 cttaaaacca attcagcaca tatgtataaa gaacccttt taaaacatt tgtaacttgc 180 atacagacac agtgatgtc aagacactaa acaaaaactg aaaagtacta taccttgata 240 aattttgtta ttgccttctt tagagacttt ataatctca gttgatttc aaggacttgc 300 atthaataat ggggttaattt cacaagacgt aaaggatttt taaaacaaa gtatttttt 360 ttacctctag catcaattct ttataaaga atgctaaata aatttacattt ttgttcaagt 420 aaaactgaag atagaccatt taaatgttc taccaaaat aacgcagctt aatttagggac 480 caggatcata ttttctctg aacatttttgc gtcaagcatg tctaaaccata aaagcaaatg 540 gaattttaaag aggttagattt tttttccatg atgcattttg ttaataaaatg tgcataagaaa 600 ataaaaacaa gcactgatgt tggttcttgc aagtataagg gtctaatgaa aaataaaaaga 660 tagatatttgc ttatagtctg acattttaac agtcatagta ttagacgtt cgtgaccagt 720 gcattttggc ctctctcagg atcaaaaatac gagtctgcca actgtattaa atcctccctcc 780 acccccctcca ccagttggc cacagttcc tggtgggtcg ttgtcatcaa atccattggg 840 ccgaaatgaa catgaagcag atgcagcttg gagggccccgg gctcgagcat tcaactcttgc 900 60 ttcctgtaaa tatagtttat tgctttttgt tatagcatcc ataagtttctt tgtagagg 960 tgggtctcca ttatccaga gtcactgtt tggttattt ccactaaac catttagtact 1020 atgctgtttt ttataaaaaa gcacataagc tggtccctt gggaaacctgc tcgtaaattt 1080 ctggactgac tggaaatgaa taaatgtcac tctactgtca taaaataaaa acccattctt 1140 ttgacatttc ttatatttcc aaatcctgtt caaaaactgc actggacta tctctccctt 1200 65 gtaaatgact ctgggaggat gctaatgcca gggcctcaga ctgggttac atctgatata 1260 aagagtctgt acttgtgata ttctggcat aagaatagta atgcccactt tcagaggata 1320
----	--

taccagagtg aaccacaacg gaacttaata gatagggcac caattttgtg caggaagctt 1380
 catcagtccc tgaaggctt aatttttag caaggttctc actaagatca gtgaagtcaa 1440
 catctacaga ccaactttct gacaatgaag agaaaagaat aattcttcta actggcaact 1500
 cccaaaaccag tggccagtga tacattgtct aaaatttcc ttctcacatg atacttctga 1560
 5 tcatatgaaa atctcaggag agtaagaata aggtattcag gttcctccgt gattgcata 1620
 gtttctcag catttgcag agaggcacag tttcacaat aatattgggt atcaccatg 1680
 agaatctctg gagcccaaaa aataatttag taagtcaattt actgaaggtg tgggttcacc 1740
 tcccggttcc tgaggtacat ctttattaaac aagaatctt tagattcgt taggcacaga 1800
 agtgtttca gaacagtaaa actcattag aggactgcct atggttttt cattcacaag 1860
 10 tgagtccacag atgaaggcag ctgttgttgg attataaaact actggctctt ctgaaggacc 1920
 ggtacacac gcttgcattt gaccaccatc ttgtatactg ggtgatgatg ctgatctt 1980
 gacagacatg tttccaaag aagaggaagc acaaaacgc agcgaaagat ctgtaaaggc 2040
 t
 15 <210> 17
 <211> 235
 <212> DNA
 <213> Human
 20 <400> 17
 cgccccgggc aggtgtcagg ggttccaaac cagcctgggg aaacacagcg tagaccctc 60
 acctctacaa ataaaaaatt aaaaattag ccaggtgtgg cagcgaacaa ctgttagtctc 120
 25 agatactcag gagactgagc tggaaaggat cacttgagcc caagaagttc aaggttacag 180
 tggccacga tcatgtcatt acactccagc ttgggtgaca aatgagact gtcta
 <210> 18
 <211> 2732
 <212> DNA
 30 <213> Human
 <400> 18
 35 gtgtggagtt tcagctgcta ttgactataa gagctatgga acagaaaaag ctgtgtggct 60
 tcatgttcat aactacttta tatggagctt cattggaccc gttacccatca ttattctgt 120
 aaatattatc ttcttggtga tcacattgtg caaaatggg aagcattcaa acactttgaa 180
 accagattct agcaggttgg aaaacattaa gtcttgggtg ctggcgctt tcgctcttct 240
 gtgtttttt ggcctcacct ggtcctttgg gttgtttttt attaatgagg agactattgt 300
 40 gatggcatat ctttcaacta tatttaatgc ttccaggga gtgttcattt tcatcttca 360
 ctgtgtctc caaaagaaag tacaaaaaaat atatggcaag tgcttcagac actcatactg 420
 ctgtggaggg cttcccaactg agagttccca cagttcaatg aaggcatcaa ccaccagaac 480
 cagtgtcgc tattctctg gcacacagag tcgtataaga agaaatgtga atgatactgt 540
 gaaaaaaacaa tcagaatctt ctttatctc aggtgacatc aatagactt caacacttaa 600
 tcaagggtggc ataaatctt atatattttt acaggactga catcacatgg tctgagagcc 660
 45 catcttcaag atttatatca tttagaggac attcaactgaa caatgccagg gatacaagt 720
 ccatggatac tctaccgcta aatggtaatt ttaacaacag ctactcgctg cacaagggtg 780
 actataatga cagcgtgca gttgtggact gtggactaag tctgaatgtat actgtttttt 840
 agaaaaatgtt catttcagaa tttagtgcaca acaacttacg gggcagcagc aagactcaca 900
 50 acctcgagct cacgcttacca gtccaaacctg tgattggagg tagcagcagt gaagatgtat 960
 ctattgtggc agatgttca tctttatgc acagcgacca cccaggctg gagctccatc 1020
 acaaagaact cgaggccacca cttattctc acgcccactca ctccctctg taccacaaaa 1080
 agaaaagatg gaagtccgg ggaactgaca gctatgtctc ccaactgaca gcagaggctg 1140
 aagatcacct acagtccccca aacagagact ctctttatc aagcatgccc aatcttagag 1200
 55 actctcccta tccggagac agccctgaca tggagaaga cctctctcc tccaggagga 1260
 gtgagaatga ggacatttac tataaaagca tgccaaatct tggagctggc catcagcttc 1320
 agatgtgcta ccagatcagc aggggcacata gtgtatggta tataatcccc attaacaaag 1380
 aagggtgtat tccagaagga gatgttagag aaggacaaat gcagctggt acaagctttt 1440
 aatcatacag ctaaggaatt ccaagggcca catgcgagta ttaataaata aagacacatc 1500
 tggcctgacg cagctccctc aaactctgtt tgaagagatg actcttgacc tgggttctc 1560
 60 tggtgtaaaa aagatgactg aaccctgcag ttctgtgaat ttttataaaa cataaaaaaa 1620
 ctttgtatatac acacagatg tactaaatgt aattattttt tacaagaaaa agagatgcca 1680
 gccaggtttt ttaagattct gctgtgttt agagaaaaat tggaaaacaaacg aaaacaaaaac 1740
 tttccagcca ttttactgc gcaatgtgt aactaaatgtt gtaaaatgg ctgcaccatt 1800
 ttgttagggc tgcattgtat tatatacaag acgttaggtt taaaatctg tgggacaaaat 1860
 65 ttactgtacc ttactattcc tgacaaagact tggaaaagca ggagagatat tctgatcag 1920
 tttcaqttc actqcaaatc tttacattt aggcaagat tggaaaacatg cttaaaccact 1980

ctgtgattgc tgactacttt ggcagaggtg tttcaacaa attgactctg ctgaccgacc 1980
 ctcccacagc cagactgacc tccagcctgg aggctggct gcaacgcgac ctactcatgc 2040
 actccaggag gggcaactaa gcagcctgg ggaagatgtg gccaacagtq gaggacccaag 2100
 agaacagaca caatgggacc tggcgccggc ttacacagaa ggctggctga catgcccagg 2160
 5 gctccactct catctaattgt cacagccctc acaagactaa agcggaaactt tttctttcc 2220
 ctggccttcc ttaattttaa gtcaagctt gcaatccctt cctctttaaac taggcaggtg 2280
 ttagaatcat ttccagatta atggggggga aggggaacct caggcaaacc tcctgaagtt 2340
 ttggaaaaaa aagctggttt c
 10 <210> 21
 <211> 179
 <212> DNA
 <213> Human
 15 <400> 21
 aggtgttaga tgctcttgaa aaagaaaactg catctaagct gtcagaaatg gattctttta 60
 acaatcaact aaaggaactg agagaaaacct acaacacaca gcagtttagcc cttgaacagc 120
 tttataagat caacgtgaca agttgaagga aattgaaagg aaaaaatttag aactaatgc
 20 <210> 22
 <211> 905
 <212> DNA
 <213> Human
 25 <400> 22
 tttttttttt ttctttaacc gtgtggctt tatttcagtg ccagtgttac agataacaaca 60
 30 caaatgttcc agttagaagg aattcaaaacg gaatgccaag gtccaaagcca ggctcaagaa 120
 ataaaaaggg aggtttggag taatagataa gatgacttca atactcactc ttccctaaagg 180
 caaaggtact ttgtatcacag agtctgtatct ttgaaaactgg tgaactcttc ttccacccat 240
 taccatagtt caaacaggca agttatggc tttaggagcac tttaaaattt gtggttggaa 300
 tagggtcatt aataactatg aatatactt ttagaagggt accattttgc actttaaagg 360
 gaatcaattt tgaaaatcat ggagactatt catgactaca gctaaagaat ggcgagaaag 420
 35 gggaggtgga agagccttgg aagtttctat tacaataga gcaccatatc ttcatgcca 480
 aatctcaaca aaagctttt ttaactccat ctgtccagtg ttacaaaata aactcgcaag 540
 gtctgaccag ttcttggtaa caaacatatac tggtgtgtc tggtgtata cagcaatgca 600
 cagaaaaaggc taccaggagc ctaatgcctc ttccaaacat tgggggaacc agtagaaaaaa 660
 40 ggcagggtc ctaatgtcattt attattacat ttccattccg aatggccatgt gttaaaatgt 720
 cctgaagatg gtaacccagc tagtgaggaa taaatacccc accttgccca gtccacagag 780
 aaacaacagt agaaaagaagg ggcaactt tgcgtcagag acaaagttag tgtttttcg 840
 ccatggattt cagtcctctc ctccagacca gctgcttatt tcctcagggg cccaggaaat 900
 gttga
 45 <210> 23
 <211> 2134
 <212> DNA
 <213> Human
 50 <400> 23
 ggtctttctt ttcctttttt tttttccaaa agtgttcttt tatttcagtg aacatataatt 60
 gtataaatac tctattttat atgcacttcc acaaaagcga tataattttaa aagttttttt 120
 cattagaaaat aaatgtataa aaataaaatat gttattatag gcatttttatta ctaactatag 180
 55 tccttcttgg aaggaacacc caaaaccaata cttataaaagt acatgttaatt tatagtaaaca 240
 tattttacta tatacatatg gaaaaaatca tatttcacca gaagagctga acagacatcc 300
 accaggatac gactgttggc ccagctgtg gagatggacc tgctaccctt cagcagcctc 360
 cccaccacaa gacaagtgtat ctcatagtcc ccaaaacctgt gggaccctgt tctacacacc 420
 tcattttgtt tccggcggtt ctcatactt gtgtgtattt actgttttc atgagacaca 480
 60 agttacttctt ttcatacatccat attccaaaag cagggttaca tgtagggaaa gaaaggaagt 540
 tggaggtact aagcttattt tgcgttctt agcttttacc agcatctaat gcttcactgc 600
 ttttttcca ttgttagactt taatgcactt gaataaaatac atggagttgt tttttctca 660
 aaatgaattt cacaataaa gactgagatg gtccaaaaaaa ggaaagagga agccatttgc 720
 65 gttatttcac gttgctgagc ctttcctca ttgtgaacaa tctgtttttt taattctcg 780
 tagaaaataat gtataaaacat tctctgaaac catagcagcc ataaacagtg ctggtcaaag 840
 atccatatttgc ttcctccattt gtttagtggg taaaatggaaa caggctttag 900

5	taaaatctca	cttttctcct	acttttcatt	tcccaacccc	catgatacta	agtatttgat	960
	aagtaccagg	aaacagggggt	tgtaatagtt	ctaacttttt	ttgacaattt	ctttttttt	1020
	tctaaacttg	taatagatgt	aacaaaagaa	ataataataa	taatgcccgg	ggctttatta	1080
	tgctatatca	ctgctcagag	gttaataatc	ctcactaact	atcctatcaa	atttgcact	1140
	ggcagtttac	tctgatgatt	caactcctt	tctatctacc	cccataatcc	cacccactgt	1200
	atacacctca	ctggttactg	gcaagatacg	ctggatccct	ccagcctt	tgctttccct	1260
	gcaccagccc	ttccctactt	tgcctgccc	tcaaagctaa	caccactaa	accacttaac	1320
	tgcattctgc	cattgtgeaa	aagtctatga	aatgttttagg	tttctttaaa	ggatcacagc	1380
	tctcttggaa	taacacccct	ccatcatggg	acagacactt	caagcttctt	tttttgcac	1440
10	cctccccc	ggctttagaa	catgtgacc	actcccccag	ctgcccactgg	gggcagggt	1500
	ggttctgcaca	aggctctggg	ctggctgggt	tcacttcctt	tgcacactcg	gaagcaggct	1560
	gtccattaaat	gtctcggcat	tctaccagtc	ttctctgcca	acccaattca	catgacttag	1620
	aacattcgcc	ccacttctca	atgacccatg	ctgaaaaagt	ggggatagca	ttgaaagatt	1680
	ccttcttctt	ctttacgaaag	taggtgtatt	taattttagg	tcgaagggca	ttgcccacag	1740
	taagaacctg	gatggtcaag	ggctctttga	gagggctaaa	gctgcgaaatt	ctttccaaatg	1800
	ccgcagagga	gcccgtgtac	ctcaagacaa	ccatctttgt	cataatgtct	tgcttcaagg	1860
	tggacaaagt	gtagtccacca	ttaagaatat	atgtggccatc	agcgttttgc	atggcaagaa	1920
	agtcgcatt	gttctctggat	ccccctctgg	tccctgttt	cacttcgtatg	ttggttggctc	1980
	cagttggaaat	tgtgtatata	tcatgatatac	caggtttgc	actagtaact	gatccctgata	2040
20	tttttttaca	agtagatcca	tttccccccgc	aaacaccacaca	tttatcaaac	ttctttttgg	2100
	agtctatgtat	gcgtatcacaa	ccagctttta	caca			

25 <210> 24
 <211> 1626
 <212> DNA
 <213> Human

<400> 24

30 ggacaatttc tagaatctat agtagtatca ggatataattt tgctttaaaa tatattttgg 60
 ttatTTTgaa tacagacatt ggctccaaat tttcatctt gcacaatagt atgactttc 120
 actagaacctt ctcaacattt gggaaaccttgc 180
 tttccatTTaa tgctatgaga tacattgttt tctccctatg ccaaacaggta 240
 agttgtttt tactgatact aaatgttggc tacctgtgtat 300
 35 gaaaaaggca agacaaatgg cctcttgatc 360
 attttctgac agacaggatt tgactcaata 420
 ggttagttagt cactggtaga aatggttttt 480
 aatctttat gtctttttat tgtaagcata tctgaattta 540
 40 aaagctttgt ctaaaaaattt ggcccttaggaa tggttaacttc 600
 agaaaaataaa tatgtgtgtt gttatgttta 660
 atgtatTTaa atatTTTca tattctgtga 720
 ccatttagcc cagtgggaaa gtcttggaaac 780
 ccatctctt gatctgtgct taaaactgtaa 840
 tctggaatgc attagttagt ccttggatcca 900
 45 ggtctagtgtt ttggaaaacac aagaacacag 960
 atcctaacta actggcttc aactcaagca 1020
 aaacttagta gaggggattt tggttatttt 1080
 taaaattctt aaagggccaa actgcatttt 1140
 aactaagata ttatctatg aagatataaa 1200
 50 cgttggTTCT tagggTtcct agcaactgtat 1260
 atggattctt ctatagctaa atgagttccc 1320
 atgcccagatg gtgtttatgg gctatttgc 1380
 tggTTTgtt ttcatctt gggaaaccttgc 1440
 tggTgcaata tgatgtcatt caactttgc 1500
 55 attataccctg tcacgcTTCT agttgttca accattttt aaccattttt 1560
 tacttgaaaaaattttttat gggaaatttaa ataaacattt gatagtttac 1620
 aaaaaaa

60 <210> 25
<211> 1420
<212> DNA
<213> Human

65 <400> 25

gttcagcatt gtttctgctt ctgaaatctg tatagtacac tggttgtaa tcattatgtc 60

ttcattgaaa tccttgcac ttcttccct cctcaatgaa agacacgaga gacaagagcg 120
 acacaagctt aagaaaaacg agcaaggaaag agtatctca ttattctcat tttctctgag 180
 ttggaaacaa aaacatgaag gactccaact agaagacaga tatttacatt taaatagatt 240
 agtggggaaa cttaaagagt ttccacatatt tagtttcat tttttgagtc aagagactgc 300
 5 tccttgcact gggagacact agtagtatatt gtttgcataat ttactttttt attatcttt 360
 tattttaa ggccttaaaa tactggtaa actctgttaa aagtgggcct tctatcttg 420
 atggtttcac tgccatcagc catgctgata tatttagaaat ggcattcccta tctacttact 480
 ttaatgccta aaattataca taaaatgctt tatttagaaa acctacatga tacagtgg 540
 10 tcagccttgc catgtatcag ttcaacttga aatttggac caattaaatt tcaactgtt 600
 agggtgaaaa aagaggtact ggaaacatg cagatgagga tatcttttat gtgcaacagt 660
 atccttgc a tggaggaga gttactctt aaggcaggc agcttaagt gacaatgtt 720
 tgtatatagt tgagaatttt acgacactt taaaattgt gtaattgtt aatgtccagt 780
 tttgcctgt tttgcctgaa gtttttagat ttgttttcta gttggaccc tggaaaaccaa 840
 accagtacactt ggggagggta gatgtgttgc tcaggcttgg agtgtatgag tggtttgc 900
 15 tttttttcc tccagagatt ttgaacttta ataaatgcgt gtgtgtttt ttttttttaa 960
 gtggctttgt tttttttctt caagttaaaat tttttttttt aatgtgtttc aatgtgtttc 1020
 catgaggtag ggagactgaa gatgttgc gactgtacat gtgccttctt aatgtgtttc 1080
 tcgcacacatt ttttttcaat aacttgaaaa ttcaaaaggg acatttggtt aggttactgt 1140
 acatcaatct atgcataaaat ggcagcttgc ttcttgagc cactgtctaa attttgc 1200
 20 tatagaaatt ttttatactg attggttcat agatgtcag ttttgcacac agactgaaca 1260
 atacagcaact ttggccaaaaa tgagtgtacg attgtttaaa cattgtgtgt taacacctgt 1320
 tctttgttaat tgggttgc tgcattttgc actacctgga gttacagttt tcaatctgtc 1380
 agtaaataaa gtgtccctta acttcaaaaa aaaaaaaaaaa
 25 <210> 26
 <211> 689
 <212> DNA
 <213> Human
 30 <400> 26
 aaacaaacaa aaaaaaaaaagtt agtactgtat atgtaaatac tagtttca atgtgcata 60
 caaacaattt tagcacatcc ttccctttac tctgtctcac ctccctttag tgagtacttc 120
 35 cttaaataag tgcataacat acatatacgg aacttggaaag ctttggttag cttgcctta 180
 ggtaatcagc ctatgttaca ctgtttccag ggagtagttt aattactata aaccatttgc 240
 cacttgtctc tgcaccattt atcacaccag gacagggctt ctcaacctgg ggcgtactgt 300
 cattttgggc caggtgattt ttcccttgc a gggctgtcctt gtacctgccc gggcgccgc 360
 tcgaagcgtg tgcggcccg aggtactgaa aggaccaagg agtctggctt gcccctcagga 420
 40 attccaaatg accgaaggaa caaagcttca gggctctggg tgggtctcc cactatttgc 480
 gaggtgtcg gaggttaacgc agtttcattt cgtccagttt tttccagttt taaaagttgt 540
 tgtcaagatg ctgcatttttttcaatcggat ctacaaggc atcccaaggc taaaacatgt 600
 ctgtgtatgaa gtaatcaatg aaacacccgga acctccgacc acctccctgaa tagtggaga 660
 cacacccaga gctgttgc 45 <210> 27
 <211> 471
 <212> DNA
 <213> Human
 50 <400> 27
 tcccgccgc atgaagttt agattggcca ggcctgtac ctgggcttca ttccttcgt 60
 cccttcgtt cattggggc accctgtttt gcctgtctgtt ccaggacgag gcacccatca 120
 55 agccctaaacc caggccccgc ccaggccac cacgaccact gcaacacccg caccctgccta 180
 ccagccacca gctgccttaca aagacaatcg ggccttca gtcgttgcgg ccaccacagc 240
 gggtagggc tgaacgacta cgtgtgatgc cccacacgtt gtttctccccc tgggtgtgt 300
 tgggtgtgtt cccggccgggat ctgtcaatgg aggagggtt tccagcacaatg agtttacttc 360
 tggcaattt ttgtatccaa gggaaataatg tgaatgcgag gaaatgtttagagc 420
 ggacagaggg gggaaataaga ggaggagaaa gctctctata ccaaagactg a
 60 <210> 28
 <211> 929
 <212> DNA
 <213> Human
 65 <400> 28

5 acacccatcta cgggcacccat ggaactgctt caagtgcacca ttcttttct tctggccagg 180
 atttgcagca gtaacagcac aggtgtttt gaggcagcta ataattcaact tgggttact 240
 acaacaaaac catctataac aacacccaaac acagaatcat tacagaaaaa tggtgtcaca 300
 ccaacaactg gaacaactcc taaaggaaca atcacaatg aattacttaa aatgtctctg 360
 atgtcaacag ctacttttt aacaagtaaa gatgaaggat tgaaagccac aaccactgat 420
 gtcaggaaga atgactccat catttcaaac gtaacagtaa caagtgttac acttccaaat 480
 gctgttcaa cattacaag ttccaaaccc aagactgaaa ctcaggttc aattaaaaca 540
 acagaaatac caggttagt tctacaacca gatgcac 540
 acctcaatac cagttacaat tccagaaaaac acctcacat cttctaaaac tggtacatc 600
 ggtggaaaaa atgcaagcac ttcaacc agccggctt attccagttat tatttgcgg 720
 gtggttattt ctttgcattt aataacactt tcagttttt ttctggggg tttgtaccga 780
 atgtgcgttggaa gggcacccca gaaaatggaa atgatcaacc tcagttctgat 840
 aaagagagcg tgaagcttct taccgttaag acaatttctc atgagtctgg tgagactct 900
 gcacaaggaa aaaccaagaa ctgacagctt gaggattct ctccacac 960
 15 tacgttaat cttcagcttcc tatgcaccaa gctggaaaaa ggagaaagtc ctgcagaatc 1020
 aatcccgact tccataccctg ctgctggact gtaccagacg tctgtcccaag taaagtgtat 1080
 tccagctgac atgcaataat ttgtatggaaat caaaaagaac cccggggctc tccgttctc 1140
 tcacatttaa aaattccattt actccattt caggagcgtt cctaggaaaaa ggaattttag 1200
 gaggagaatt tttttttttt gttttttttt gttttttttt gttttttttt gttttttttt 1260
 20 actttcttaa atgtttaaag tttttttttt caagaattttt tttttttttt gttttttttt 1320
 cttttcttgg tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 1380
 gcaaggaaaaa gttgcacgtt tttttttttt tttttttttt tttttttttt tttttttttt 1440
 gtacatataa gtatttttt cttgtttttt tttttttttt tttttttttt tttttttttt 1500
 aatactctaa aaatactata acatgactgt gaaaatggca aaaaaaa
 25 <210> 31
 <211> 750
 <212> DNA
 <213> Human
 30 <400> 31
 cacttggcaca ccccccattttt ctaaaaaaaat gaaatctgg agggcaaaaaa aggtgtgctg 60
 35 aagggaagtgcctctgtatgg cccaaaaacc ttcttccaaa ctgtgttagg aatggatgg 120
 atagcaaatg gatcctttttt ggcctccctt ggagcatgccc ttccctatct tttttttttt 180
 cccactaaag cagaacgttac cggatatttc ttgttttgcctt attggatgccc tatctggcc 240
 aacagccctt ccctaatttttgg aaaaatgcgtt cctgtttttt accttttgattt tacgactact 300
 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 360
 40 cagtggaaaca tgacaagatc ataaagaacaa gtatcatattt attttttttt tttttttttt 420
 gttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 480
 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 540
 actgccccatc ggtttttttt tttttttttt tttttttttt tttttttttt tttttttttt 600
 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 660
 45 gttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 720
 ccaaaaggct tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 720
 <210> 32
 <211> 1620
 <212> DNA
 <213> Human
 50 <400> 32
 gcaattcccc cctcccaacta aacgactcccc agtaattatg tttacaaccc atggatgca 60
 55 gtgcagccat tcataagaac cttttttttt cttttttttt cttttttttt cttttttttt 120
 ctgagggtctt ttggaaatataa atgttagaaaaa ccactaccta ttgaaggccctt tttttttttt 180
 atctgtgcata actctgtatgtt tacctgtccctt atgtggatcc tttttccacac tttttttttt 240
 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 300
 60 atgtttctggg tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 360
 aaaaaaaaaact ttttaacat tttttttttt tttttttttt tttttttttt tttttttttt 420
 cgctggcatt tggactcaat gaaaaggccca cttttttttt tttttttttt tttttttttt 480
 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 540
 gggtagtctt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 600
 atttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 660
 65 tggagttgtt cacaatattt aggtcatgccc tttttttttt tttttttttt tttttttttt 720
 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 780

5 gtttccctcc taggttgaa gaaatgttt tccttctatc tgggtccctgt taaagcgggt 840
 gtcgttgc tcttttccatc tcgatttgcg aatataataga attggggggg gaggaaatga 900
 tggatgtcaat taagttcag gtttggcatg atcatcatc tgcgtatata tctactttg 960
 tcgcaaatct gcccttatcg taagaacaag ttcagaatt ttccctccac tatacgactc 1020
 cagattatcg ttacaatcc attggatgag tgccgatcca taagaccctg gtggcccgaa 1080
 aaatctgtcc tttttggatc caaaccctgag gtcttttggg agataatgtt gaaaaccact 1140
 acctattgaa ggcctgtttt ggctaatctg tgccaaactct gatgataactt gtttatgtgg 1200
 attctttcc acactgcctt catttttaag tataaaagact tagaaaacta gaataatgt 1260
 ttacaaaata attaaaatgt tttgtatgtt tgggtttttt cttttttt agaaccctgt 1320
 attaaaacaa gccttctttt taagtcttgc ttgaaaatgtt agtctcagat ctctggata 1380
 ccaaatcaaa aaccacacgc gtaaaacagg gcagttttg tgccctaat tttaaaaagc 1440
 ttatgtata ctctataat atagatgtt aaacaacact tcccttgag tagcacatca 1500
 acatacagca ttgtacatca caatgaaaat gtgtacttta agggtattat atatataat 1560
 acatataatac ctttgcacc ttatactgt aaataaaaaaa gttgttttag tcaaaaaaaa 1620
 15 <210> 33
 <211> 2968
 <212> DNA
 <213> Human
 20 <400> 33
 25 gaaaaagtag aaggaaacac agttcatata gaagtaaaag aaaaccctga agaggaggag 60
 gaggaggaag aagaggaaga agaagatgaa gaaagtgaag aggaggaggag agaggaggga 120
 30 gaaagtgaag gcagtgaagg tgatgaggaa gatgaaaagg tgcgtatgtt gaaggattca 180
 gggaaagacat tagataaaaaa gccaagtaaa gaaatgagct cagattctga atatgactt 240
 gatgtatgtc ggactaaaga agaaagggtt tatgacaaag caaaacggag gattgagaaa 300
 cggcgacttg aacatagtaa aatgttaaac accggaaaagc taagagcccc tattatctgc 360
 35 gtacttgggc atgtggacac agggaaagaca aaaattctag ataagtcgg tcacacacat 420
 gtacaagatg gtgaaggcagg tggatcaca caacaaaattt gggccaccaa tgccctt 480
 gaagcttata atgaacagac taagatgtt aaaaaaaaaat tttttttagagagaa tgtaacggatt 540
 ccaggaatgc taattatgtt tactctggg catgaatctt tcagtaatctt gagaataga 600
 ggaagcttc ttgtgcacat tgccattttt gttgttgata ttatgcattt tttggagccc 660
 40 cagacaattt agtctatcaa ctttctcaaa tctaaaaat gtccttcat ttttgcactc 720
 aataagattt ataggttata tgattggaaa aagagtccgt actctgttgc ggtgtctact 780
 taaaagaagc agaaaaagaaa tacaagat gaatttgagg agcgagcaaa ggctattttt 840
 gtagaatttt cacagcaggg ttgtatgtt gttttttttt atgagaataa agatccccgc 900
 acctttgtgt ctgttgcacat tacctctgtca catactgggt atggcatggg aagtctgtac 960
 taccttcttgc taggttaac tcaagaccatg ttgagcaaga gacttgcacatgtaacggag 1020
 45 ctggagacac aggtgtatgg gtttaagct ctcccccggg tggccaccac tatatgttc 1080
 atcttgcata atggcggtt gaagggaggatcataatca ttgttctgg agtagaagg 1140
 cccattgtaa ctcagatcc aggcctctgtt ttacctcttc ctatgaagga attacgagt 1200
 aagaaccagt atgaaaagca taaaagatgaa gaagcagctc agggggtaaa gatttttgg 1260
 aaagacctgg agaaaaacatt ggctgggtt cccctctgtt tggcttataa agaagatgaa 1320
 50 atccctgttc taaaagatgtt attgatccat ggtttaaagc agacactaaa tgcataatca 1380
 tttagaagaaa aaggagtcta tgcgttgc tctacactgg gttttttgg agtctactg 1440
 gaatttctgtt aacatcataa agtgcctat gcaggaaatca acattggccc agtgcataaaa 1500
 aaagatgtt aaggatgttca agtgcgttgc gacatgttgc ctcagatgttgc agtattttt 1560
 55 gcttccatgt tgagaattgtt acggatgtca caagaaatgg ctgtatgtttt aggagtttaga 1620
 atttttatgtt cagaaattat ttatcattt tttgtatgtt ttacaaaataa tagacaagac 1680
 tacaagaaaac agaaaacaga agaattttatgc cacaatgcgat tattttctgtt caagataaaa 1740
 atccctccatc agtacattttt taattctgtca gatccgtatgc tgatgggggtt gacgggtggaa 1800
 gcaggctcagg tggaaacaggg gacccatgtt tggttcccaaa gaaaaattttt tggtgcacatc 1860
 ggaatgttca caagtattgtt aataaaccat aaacaatgtt atgttgcacatgaaatgg 1920
 60 gaagtttgc taaaatataa acctatccctt ggtgacttgc cccaaatgtt tggaaagacat 1980
 ttgttgcata cagatattttt ttttgcattt gactgggttca gagatgttgc atcagccggc 2040
 gactgggttca gagatgttgc gacggatgtt gactggcagc ttattgttgc gctgttgc 2100
 gtatttgcata tcatcttattt ttttgcattt gtttgcattt gacggatgtt gacgttgc 2160
 ttgttgcataat cccaaacaaa atcagacaaa aaatggaaaca gacgttgc gacactgtt 2220
 gacttaatgtt tggaaaggaaag aaaaatgttgc tttttatgtt ttttgcattt gaaaccaaga 2280
 aacttacact ggtttgcacatg tggtcgttgc catgttccca cagttccatg tgccctgttc 2340
 actcaccttccatc cccctccatc acccttttgc acttggctgtt tggttcccaaa 2400
 cccaaatgtt gattttttt acagatgttca agtcttgc tttttatgtt gattttatgtt gattttatgtt 2460
 gtactggcgtt attttgcattt aaaaaaaaaaa gacgttgc tttttatgtt gacttttttgc 2520
 65 acgttgcattt ttttgcattt ttatgttca ttcttccatc agtgcattttt ccagcatttgc atattttctt 2580
 tcttgcattt gtttgcattt gtttgcattt gtttgcattt gtttgcattt gtttgcattt gtttgcattt 2640

5 agctgctttg tggtaaaacca tgggtaaaaa gcacagctgg ctgctttta ctgcttgcgt 2700
 agtcacgagt ccattgtaat catcacaatt ctaaacccaaa ctaccaataa agaaaacaga 2760
 catccaccag taagcaagct ctgttaggtt tccatggta gtggtagctt ctctccaca 2820
 agttgtctc ctaggacaag gaattatctt aacaaactaa actatccatc acactaccc 2880
 5 ggtatggccg cacttggta acagtaggag atttataca ttaatctgtat ctgtttaaatc 2940
 tgatcggtt agtagagatt ttatacat

10 <210> 34
 <211> 6011
 <212> DNA
 <213> Human
 <400> 34

15

20 acggggcgcc ggacgacccg cacatctt cctccacgcc ccactcgac tcggagcg 60
 accggcccccgg actccccctc gggccggca ctcgaggagt gaggagaggt gcccggcc 120
 cggttggac cgagcgcacg acccccggcg ccccgccca gaagttgtt tgaacccggc 180
 tggccggaga aactttttc tttttttttt ctctcccccgg agagtctctg gaggaggagg 240
 ggaactcccc cggcccaagg ctgcgtgggtt cggggctcg cggccgcaga agggggccggg 300
 tccggcccg aggggaggcg ccccgggga cccgagaggg ggggtgaggac cgcgggctgc 360
 tggtggccgg gggcgcacgt gtggcccgcg caggggaggg gccgccccgc tccggccgg 420
 25 gtcgcgagga ggaggcgccg gcccgcacgg aggtgtact tggtggccggg ggacaggggg 480
 ttggccggct gggggcacct ctcggctcg ctgcgtgggc tgctgtctg gccggcgcgc 540
 tccggcaccc gggcgtgggt ctgcctgccc tggacgagt ccaagtgcga ggagccagg 600
 aaccggcccg ggagcatcgt gcagggcgtc tgcgtgtctg gctacacgtg cggcaggccag 660
 gggaaacgaga gtcgcggccg cacccctggg attacggaa ctcgcgaccg ggggctgcgt 720
 30 tggtcatcc gccccccgct caatggcgcac tccctccaccc agtacgaaacg gggcggttgc 780
 gaagatgaga actggactga tgaccaactg cttgttttta aaccatgcga tggaaacctt 840
 attgtctggct gcaataataat caatggggaa tggtaatgtt acaccattcg aacctgcagc 900
 aatcccttttggg agtttccaaatc tggatgtt tgcctttcag ctttaaagag aattgaagaa 960
 gagaagccag attgtctccaa gggccgcgtt gaaatccagt ttcctccacg ttgtccctgaa 1020
 35 gattctttc tgatcgaggg ttatgtctt cctggggagt gtcgtccctt acccagccgc 1080
 tgcgtgtca accccgcagg ctgtctgcgc aaagtctgca agccggggaaa cctgaacata 1140
 ctatgtcaaa aagcctcagg gaagccggga gagtgtgtg acctctatga gtgcacca 1200
 gtttccggcg tggactgcag gactgtggaa tggccctactg ttcagcagac cgcgtgtccc 1260
 ccggacagct atgaaactca agtcagacta actgcagatg ttgtctgttac ttgcacca 1320
 40 agatgcgagt gtctctctgg ctatgtgtt ttcccccgtt gtggagggtt atccactccc 1380
 cgcatagtct ctgcgtggca tgggacaccc gggaaatgtt gtcgtgtt tgaatgtttt 1440
 aatgtatcaa agccagctt ctgtcgatgc caagggggcg ttgcctatgc cttcaccgc 1500
 cgaatggaca actgtcggtt ctgtcgatgc caagggggcg ttgcctatgc cttcaccgc 1560
 cagtgtgtt agataaaactg ctaggggtac tacgtgccc aaggagatg ctgcccagt 1620
 45 tggtaagatc cagtgtatcc tttataat cccgtggct gctatgcacaa tggcctgatc 1680
 ctggccacg gagaccgggtt gccccggac gactgcacat tctgcgttgc cgtcaacgg 1740
 gaacgcccact gctgtcgac cgtctgcga cagacctgc caaaccctgtt gaaatgtcc 1800
 ggggagtgtt gcccgtgtt cgaagaacca accatcatca cagtgtatcc acctgcgtt 1860
 ggggagtat caaactgcac tctgcacacgg aaggactgc ttaatgtttt caaacgcgt 1920
 50 cacaatggtt gtccggacact tcaatgtca aacacccagg aactatgttca agaacatgtt 1980
 caaggctgcac ccttgcactt tcccttcgtt ttccttactt atgccccaaa ctgtgagatc 2040
 tggagtgtt gcccggcc caagaatgtc agacccatataa tctgtgacaa gtattgtcca 2100
 ctggattgtc tgaagaataaa gcacggctgtt gacatgttgc gctgttggaa atgtccagag 2160
 ctctcatgca tgaagatctg ccccttgggt ttcagcagg acgttcacgg ctgttctatc 2220
 55 tggcaatgtca gagaggccctc tggccatgtt gggccaccca tccgtcggtt cacttgcgtc 2280
 accgtggatg tcaatgtca taaaatgtt gaggactgtt gggccatgtt gggccatgtt 2340
 tactgtctca atggacggga aatgtgttgc ctgtatccatc gccgggttgc tggctgttgc 2400
 aacccacca ttcaccctgg acgtgttgc ccatcatgtt cagatgttccatgtt 2460
 aagccagatc tcaatgttgc ccccttgggt ttcagcagg acgttcacgg ctgttctatc 2520
 60 ggagaaaacgt ggaacatgtt ctcctgtact cagtgacatc gggccatgtt gggccatgtt 2580
 tggagacag aggtgttgc accgtgttgc tggccatgtt gggccatgtt gggccatgtt 2640
 tggccggccatc agtgttgc tcaatgttgc ccccttgggt ttcagcagg acgttcacgg ctgttctatc 2700
 cctaattact gaaaaatgtt tggatgttgc tcaatgttgc ccccttgggt ttcagcagg acgttcacgg ctgttctatc 2760
 gacgtttgtt tggatgttgc tcaatgttgc ccccttgggt ttcagcagg acgttcacgg ctgttctatc 2820
 65 ccttctgtat cctgttgc tcaatgttgc ccccttgggt ttcagcagg acgttcacgg ctgttctatc 2880
 aaagacacaa ttccaaatgtt gggccatgtt gggccatgtt gggccatgtt gggccatgtt 2940

gagcgggtggg accttgcacag ctgcacccac tgctactgcc tgccggcca gaccctctgc 3000
 tcgaccgtca gctgcccccc tctgcctgtgttggagccca tcaacgtgga aggaagtgc 3060
 tgcccaatgt gtcagaaaat gttatgtccca gaaccaacca atatacccat tgagaagaca 3120
 aaccatcgag gagagggtga cctggagggtt cccctgtggccacgcctag tgaaaatgtat 3180
 5 atcgtccatc tccctagaga tatgggtcac ctccaggttag attacagaga taacaggctg 3240
 cacccaatgt aagatcttc actggactcc attgcctcatttgccttccataattata 3300
 tgcctctcta ttataatagc attcctatc atcaatcaga agaaaacagt gataccactg 3360
 ctttgcgtt atcgaacacc aactaagctt tcttccttaa ataatcagct agtatctgt 3420
 gactgaaga aaggaaccag agtccagggtg gacagtccc agagaatgt aagaattgca 3480
 10 gaaccagatg caagattcag tggcttctac agcatgcaaa aacagaacca tctacaggca 3540
 gacaatttctt accaaacagt gtgaagaaaag gcaacttagga tgagggttca aaagacggaa 3600
 gacgactaaa tctgtctaa aaagtttgccttgccttgcgttgc 3660
 ttggatgtg acttgatgtt cagcgcttaag accttactgg gatgggtctgttgc 3720
 atgtgcagaa caagcattcc cactttcttcaagataact gacaatgtt 3780
 15 ccaaagggtttt taaagtgttcaagatataat tgcctgttgccttgcgttgc 3840
 ggtggggaca gtgagtttgg atggggaaaag ggggtggagg gtgggttgcgttgc 3900
 tggtcagttt ggctcggggaa gaaacgttgccttgcgttgc 3960
 tatttttttc ctattgtcttcaagactgca ctgggtgttgcgttgc 4020
 gcagggaaaaca aaaaaggccct tgcgacccag ctgcataac caccttagaa ctaccagacg 4080
 20 agcacatcag aacccttttgc cagccatccc aggtctaaag ccacaagttt cttttctata 4140
 cagtcacaac tgcgttaggc agtgaggaaag ccagagaaaat ggcgtatgcgg cattttctata 4200
 aagcgggtta ttaaggatataatcgttac actttttgttgcgttgc 4260
 caatcaatcga cccaggcttcaagactgca ctgggtgttgcgttgc 4320
 atgtgacac tggagcttttttttaca acgtgacagg agaggagggg agagggtgac 4380
 25 gaacaccagg cattttccagg ggctatatttttcaactgtttgttgcgttgc 4440
 ttgttgttgcgttgcgttgc 4500
 gactgtttgg ggttttttttgcgttgc 4560
 attttatatttgcgttgcgttgc 4620
 30 aaacttttgcgttgcgttgc 4680
 ttgtgtgcgttgcgttgc 4740
 tgttttccgttgcgttgc 4800
 cattccatag cagtttttttgcgttgc 4860
 taccttgcgttgcgttgc 4920
 35 gtttgtgcgc gtcacacac gtcgttgcgttgc 4980
 atcccttttgcgttgcgttgc 5040
 ctggccagag acattgtatgg cagtttttttgcgttgc 5100
 ttttttttttgcgttgcgttgc 5160
 aagtttttttgcgttgcgttgc 5220
 acagcccttgcgttgcgttgc 5280
 40 tgcttgttgcgttgcgttgc 5340
 ttttttttttgcgttgcgttgc 5400
 aaaaaatttttttgcgttgcgttgc 5460
 ttgttttttttgcgttgcgttgc 5520
 aaaaagatttttttgcgttgcgttgc 5580
 45 tacattacaa aaatagatttgcgttgcgttgc 5640
 cattccgttgcgttgc 5700
 caatcatggc catattatgttgcgttgc 5760
 ttatttttttttgcgttgcgttgc 5820
 tccttttttttgcgttgcgttgc 5880
 50 cacttggagt gcatcatgttgcgttgcgttgc 5940
 gaatttatctgttgcgttgcgttgc 6000
 aaaaaaaaaaaaaa a

55 <210> 34a
 <211> 1036
 <212> DNA
 <213> Human

60 <400> 34a

mylvagdr1 agcgh11vsl lglllpars gtralvclpc deskceeprn rpgsivqgvc 60
 gccytcasqgq nescggtf1 ygtcdrglrc virpplngds lteyeagvce denwtddq11 120
 65 gfkpcnenli agcniingkc ecntirtcsn pfefpsqdmc lsalkrieee kpdcskarce 180
 vqfsprcped svliegyapp gecclpsrc vcnpagclrk vcqpgnl11 vskasgkpg 240

ccdlyeckpv fgvdcrtrvec ptvqqtacpp dsyetqvrilt adgcctlptr ceclsglcgf 300
 pvcevgstpr ivsrgdgtpg kccdvfecvn dtkpacvfnn veyydgmfr mdncrfcrq 360
 ggvaicftaq cgeinceryy vpegeccpvc edpvypfnnp agcyanglil ahgdrwredd 420
 ctfcqcvnge rhcvatvcgq tctnpvkpg eccpvceupt iitvdppacg elsnctltrk 480
 5 dcimgfkrdh ngcrtcqcin tqelcserkq gctlncpfgf ltdaqnceic ecrprpkcr 540
 piicdkycpl gllknkhgcd icrckkpel scskicplgf qqdshgclic kcreasasag 600
 ppilsgtclt vdghhhknee swhdgcrecy clngremcal itcpvpacgn ptihpgqccp 660
 scaddfvvqk pelstpsich apggeyfveg etwnidsctq ctchsgrvlc etevcppllc 720
 10 qnpsrtqdsc cpqctdqpf pslsrnnnsvp nyckndegdi flaaeswkp vctscicids 780
 viscfesescp svscerpvlr kgqccpycik dtipkkvvch fsgkayadee rwldlscth 840
 yclqgqtlcs tvscpplpcv epinvegscc pmcpemvype ptnipiektn hrgevdlevp 900
 lwptpsendi vhlprdmghl qvdyrdnrlh psedssldsi asvvppiic lsiiiaflfi 960
 nqkkwipll cwyrtptkps slnnqlvsd ckkgrtrqvq ssqrmlriai pdarfsgfys 1020
 mqkqnhlqad nfyqtv
 15

<210> 35
 <211> 716
 <212> DNA
 20 <213> Human

<400> 35

25 gcagtacctg gagtgtcctg cagggggaaa gcgaaccggg ccctgaagtc cggggcagtc 60
 acccgggct cctgggcccgc tctggggc tggggctgag cagcgatccct gctttgtccc 120
 agaagtccag agggatcagc cccagaacac accctctcc cccggacgccc gcagctttct 180
 ggaggctgag gaaggcatga agagtggct ccacctgctg gcccactgag aaaagaattt 240
 ccagaactcg gtcttattttt acagatttag aactatggt tcaagaagag aggacggggc 300
 30 ttgagggat ctccctgattc tccttataatg acctccaaactt gaccactata aacagtgttag 360
 aaggctttttaaaggctcta aatgtcaggg tctcccatcc cctgatgcct gacttgtaca 420
 gtcagtgtgg agtagacggg ttccatccacc cagggttgc tcagggggat gatctgggtc 480
 ccattctggt cttaagaccc caaacaaggg ttttttcage tccaggatct ggagcctcta 540
 35 tctggtagt gtcgttaacctt ctgtgtgcct cccgttaccc catctgtccca gtgagcttag 600
 ccccatcca cctaacaggg tggccacagg gattactgag gtttaagacc ttagaactgg 660
 gtctagcacc cgataagagc tcaataaatg ttgttcctt ccacatcaaaa aaaaaa

<210> 36
 <211> 395
 40 <212> DNA
 <213> Human

<400> 36

45 ccaatacttc attcttcatt ggtggagaag atttagact tctaagcatt ttccaaataaa 60
 aaaagctatg atttgatttc caactttaa acattgcattt tcctttgcca tttactacat 120
 tctccaaaaa aacccttgaaa tgaagaaggc cacccttaaa atacttcaga ggctggaaat 180
 atgattatta catggaaatc cttaggccta tggatattt cttaactttt gcactttcac 240
 50 gcccagtaaa accaaagtca ggttaaccaa tggcattttt caaaatgtt aaaccctaat 300
 tgcagttcct ttttaaattt atttaaaga ttacttaaca acatttagaca gtgcaaaaaa 360
 agaagcaagg aaagcattct taattctacc atcct

<210> 37
 <211> 134
 55 <212> DNA
 <213> Human

<400> 37

60 ccctcgagcg gcccgggg caggtactttt taccaccgaa ttgttcactt gactttaaaga 60
 aaccctataaa gctgcctggc tttcagcaac aggccatca acaccatggt gagtctccat 120
 aaggacacc gtgt

65 <210> 38
 <211> 644
 <212> DNA

<213> Human

<400> 38

5 aagcctgtt tcatggggga ggtggtggcg cttggtgcc actggcggcc gaggtagagg 60
 cagtggcgct ttagttggtc gggggcagcg gcagattga gccttaagca acttctccg 120
 gggaaagatgt ccagtgcagc cactgttaca attcaagatc ttgatctata tccatagatt 180
 ggaatattgg tggccagca atccctagac gcctcactta gcacaaatga ggaaactgag 240
 gcttggtcaa gttacgaaac ttgtccaaa tcacacaact tgtaaaggc acagccaa 300
 10 ttcagagcca ggctgtaaaa attaaaatga acaaattacg gcaaagtttt aggagaaaga 360
 aggtatgtt tggccagag gccagtcgc cacatcgtt gcagacagat gaagaaggcg 420
 ttgcacccgg aaaaatgtac ttcccggtt agtaccttgg ccatgttagaa gttgatgaat 480
 caagagaaat gcacatctgt gaagatgtt gaaaaagatt gaaagctgaa aggaagttct 540
 15 tcaaaaggctt ctttggaaaaa actggaaaga aagcagttaa aagcagtttctt gttggctaa 600
 gcagatggac tcagagggtt tggatgaaaaa actaaggacc tcat

<210> 39

<211> 657

<212> DNA

20 <213> Human

<400> 39

cttttgtt gggtttccaa atgttagatgt ctcagtggaa tttgcagata tactttgttc 60
 25 cttatatgtt caccagggtt aattatggac aaatacatta aaacaagggtt tcctggccca 120
 gcctccatc taatctctt gatactctt gatatctaattt ctgaggagcg atttctgaat 180
 tagccagtgt ttttccatcact ttctgttagg aattgttata gaataacctt tcttttctt 240
 acctgttcac tgagacatct tggggaaatgtt agtagggaaa tagacattt gttggaaaaac 300
 30 agcaaaatgtt gaacattaaat aagacttcattt caagatgtt gataaaggc atggaaattc 360
 tggcccttgc agcaaaatgtt gaagaaaaaa ttctgttcac cgttatttcac tttgtttaaga 420
 tttttgtt ttttacacgaa tggaaaaatgtt atgttataattt gttttagattt ttaatcagct 480
 aacagtcttccatcacttgcac caatttcattt agtagtaatgtt attttaaatgtt 540
 taagaaatac tactacattt aacattataa agtaggttc tggacataac tgaaaaattt 600
 atgttgcattt caatagaaat ttgttccac ttgttatttc aacaaaattt tcggac

35

<210> 40

<211> 1328

<212> DNA

40 <213> Human

<400> 40

acaatttaa aataactatgc aattaatcac agcatatcag gaaaaagtac acagttagttt 60
 ctggtagtt ttgttaggtt cattatgtt agggtcgta agatgtatattt aagaacctac 120
 45 ctatcatgtt gtatgtatca ctcattccat tttcatgtt catgcataactt cgggcatcat 180
 gctaataatgtt atccctttaa gcaactcttca gggaaacaaaaa gggcccttttta tttttataaa 240
 ggtaaaaaaa attcccccacat ttttgcac tgaatgttacc aaaggtgaag ggacattaca 300
 atatgactaa cagcaactcc atcaacttgcg aagtataataa gaaaatgtt tctaaatcaa 360
 acttccttca cagtggcggtt tottaccacta caaggactgtt gcatctaaatgtt 420
 50 taagattcac tataatgtt gatgtatattt gcatattttt aaaaatgcattt agactctttt 480
 ccattccatca aatactttac aggtggcat ttaatacaga tatttcgttat ttccccact 540
 gcttttattt ttttacatgtt cattaaacac taagcttgcg taaggagccca tcagcaacac 600
 tgaagagatc agtagtaaga attccattttt ccctcatcg tgaagacacc acaaattgaa 660
 actcagaact atatttctaa gcctgcattt tcactgttgc ataaattttctt tagtaatattt 720
 55 aagagacagt ttttctatgg catctccaaa actgcatttgc atcaactatgc ttacttctgc 780
 ttaatttat gagaaggat ttttcatattt aatttgcattt gggattactt cccatctttt 840
 ttttattttt gactaatcgtt attttcaata gatgttgcgtt aaatttggggg tcataaaaagc 900
 atttggatgtt catatgttgc gccaggcttgc ggttttgcg gcatgttccca aacattttctt 960
 60 tgatgttcat atttataaagc agccatggaa ttcttattt gggatgttgg caatcttaca 1020
 tttttagatg gtcattatgc tagtttcat aggttttttgc taaaacttgc ttgtctccct 1080
 gtgatgttgc ctatgttac tactggacc ctcaggatgttgc ataccactt ttttacatc 1140
 ctgcactaaa ggcacgtact gcaatgttgc gaaatgttctt gaaaaagggtt tataaaaatc 1200
 tggaaataaag aaaaaggatgatgttgc ttttataattt gaaagagaaaaa aaaaac 1260
 ttttacttgc aatgtttagt ttgttacttgc ttttataattt gaaagagaaaaa aaaaac 1320
 65 tgaaaaaaa

<210> 41
 <211> 987
 <212> DNA
 <213> Human

5
 <400> 41

aacagagact ggcacaggac ctcttcattg caggaagatg gtagtgttagg caggtaacat 60
 tgagctctt tcaaaaaagg agagctttc ttcaagataa ggaagtggta gttatgtgg 120
 10 taacccccc ctatcagttc ggatggttc cacccttctt gctgttaggtt ggaagcagcc 180
 atggagtggg agggaggcgc aataagacac ccctccacag agcttggcat catgggaagc 240
 tggtttacc ttctccctgg tcctttttt aaaggcctgg ctgggagcct tccttttggg 300
 tgtctttctc ttctcccaacc aacagaaaag actgtcttc aaaggtggag ggtttcatg 360
 aaacacagct gccaggagcc caggcacagg gctggggcc tggaaaaagg agggcacaca 420
 15 ggaggaggga ggagctggta gggagatgtt ggctttaccc aaggctcga aacaaggagg 480
 gcagaatagg cagaggcctc tccgtcccg gcccattttt gacagatggc gggacggaaa 540
 tgcaatagac cagcctgcaa gaaagacatg tggtttatgtt acaggcagtg tggccgggtg 600
 gaacaagcac aggcttggta atccaatggta ctgaatcaga accctaggcc tgccatctgt 660
 20 cagccgggtg acctgggtca atttttagctt ctaaaaggcctt cagtctcctt atctgcaaaa 720
 tgaggcttgt gatacctgtt ttgaagggtt gctgagaaaa ttaaagataa gggatccaa 780
 aatagtctac ggcattatcca ccctgaacgt gcctaatctc gtaagctaa cagggtcagg 840
 cctgggttgtt acctggatgg ggagagtatg gaaaacatac ctgcccgcag ttggagttgg 900
 actctgtttt aacagttagcg tggcacacag aaggcactca gtaaaatactt gttgaataaa 960
 tgaagttagcg attttgggtgtt aaaaaaaaaa

25
 <210> 42
 <211> 956
 <212> DNA
 <213> Human

30
 <400> 42

cggacgggtgg ggcggacgcg tgggtgcagg agcaggccgg ctggccactg ccccaaccaa 60
 ggaaggagcc cctgagtcgg cctgcgcctt catccatctg tccggccaga gccggcatcc 120
 35 ttgcctgtct aaagccttaa ctaagactcc cggccggggc tggccctgtg cagaccttac 180
 tcaggggatg ttacactggt gctcggaaag ggaggggaaag gggccggggg gggggcacgg 240
 caggcgtgtg gcagccacac gcaggccggcc agggccggca gggacccaaa gcaggatgac 300
 cacgcacccctc cacgcctacty cctcccccga atgcatttttgg aacccaaatgc taaaactgagc 360
 40 tcgcagcccc cggccctcc ctccgccttcc catccccctt agcgcctctgg acagatggac 420
 gcaggccctg tccagcccccc agtgcgcctcg ttccggtccc cacagactgc cccagccaa 480
 gagatgtgtt gaaaccaagt cagggccagggt gggccggacaa aaggggccagg tgccgcctgg 540
 ggggaacccgga tgctccggagg actggactgt ttttttccaca catcggttgc gcaggcgtgg 600
 gaagaaaaagg cagatgtaaa tgatgtgtt gtttacaggg tatatttttgc atacccatcaa 660
 tgaattaattt cagatgtttt acgcaaggaa ggacttaccc agtattactg ctgcgtgtct 720
 45 tttgatctct gcttaccgtt caagaggcgt gtgcaggccg acagtcgggtt accccatcac 780
 tcgcaggacc aaggggccgg ggactgttgc ctacgccttcc gctgtgtctt ccctcccttc 840
 ctttccttgg gcagaatgaa ttgcgtgttgc attctgtggc cgccatctc gcagggtgg 900
 ggtattctgtt catttacaca cgtcgatcttca attaaaaaagg gaattataact cccaaaaa

50 <210> 43
 <211> 536
 <212> DNA
 <213> Human

55 <400> 43

aaataaacac ttccataaca ttttggtttc gaagtctatt aatgcataacc cacttttttc 60
 cccctagttt ctaaatgtt aagagagggg aaaaaaggct caggatagtt ttcacctcac 120
 60 agtggtagct gtcttttttattt ttactctttgg aaatagagac tccatttaggg ttttgcattt 180
 ttgggaaccc agttttaccat ttgtgtcagt aaaaacaataa gatagtttga gagcatatga 240
 tctaaataaa gacatgtt gggtagttt gaattctaaa agtaggttaat agccaaatag 300
 catttcatc ctttaacaga caaaaactta tttgtcaaaa gaatttagaaa aggtgaaaat 360
 attttttccaa gatggaaactt gtgcacttc caattgtacta atgaaataca aggagacaga 420
 ctggaaaaag tgggttatgc caccctttaa accctttctg gtaaaatatta tggtagctaa 480
 65 agggtggttt ccccgccacc tggacctgga caggttaggtt tccgtggta accagt

<210> 44
 <211> 1630
 <212> DNA
 <213> Human
 5 <400> 44

ggggagggac gaggatggaa ccctgaaggt agcaagtcca ggcaactggcc tgaccatccg 60
 gctccctggg caccaagtcc caggcaggag cagctgtttt ccatcccttc ccagacaagc 120
 10 tctatTTTA tcacaatgac ctttagagag gtctcccagg ccagctcaag gtgtccact 180
 atcccctcg gagggaagag gcaggaaaat tctcccccggg tccctgtcat gctactttct 240
 ccatcccagt tcagactgtc caggacatct tatctgcagc cataagagaaa ttataaggca 300
 gtgatTTCC tttaggcccag gacttggcc tccagctcat ctgttccttc tgggcccatt 360
 catggcagg tctgggctca aagctgaact ggggagagaa gagatacaga gctaccatgt 420
 15 gactttacct gattggcctc agtttgggt tgcttattgg gaaagagaga gacaaagagt 480
 tacttggta gggaaatatg aaaagcatgg ccaggatgca tagaggagat tctagcaggg 540
 gacagaggatg gctcagatga cccctgaggg ctcttccagt ctgaaatgc attccatgat 600
 attaggaagt cgggggtggg tggtggtgt gggctagttt gtttgaatt tagggccga 660
 20 tgagcttggg tacgtgagca gggtgttaag tttagggtctg cctgttatttc tggtcccctt 720
 ggaaatgtcc ctttcttcag tgcagaccc cagttccagt gtccatatcg tgcccagaaa 780
 agtagacatt atccctgcccc atccctttcc cagtgcaactc tgaccttagt agtgcctggt 840
 gcccagtgac ctgggggagc ctggctgag cccctcaactg gttccctaaa ctttggtggc 900
 tttgttgcg gttttccagg gggactcaagg gaggaaatag gctgatctt gtagttcca 960
 25 gagttggctg gttagagccct ctaggggttcc aagatattag cttcaggatc agctgggggt 1020
 atggaattttg ctgaggatca aacgtatgt agttggaa taccaggatg ttgcttaagg 1080
 tgagggacag ttgggtttt ggacttacca ggggtatgtt agatctggaa cccccaatgt 1140
 aggctggagg gagtttaaggt cagtagggaa gatagggtt ggacagggtt ctttggatgt 1200
 aaagagtgc cttagagggc tccttggcc tcaggaatgc tcctgctgt gtaggttcca 1260
 30 gaaggtgttc ttactcagtt aatgtatgtt gactatattt accaaaggccc ctacctgt 1320
 ctgggtccct tttttttttt ggacttacca ggggtatgtt agatctggaa cccccaatgt 1380
 tcagggctct ggctgaggca gtagcataga ggatccattt ctacctgtcat ttcccagagg 1440
 actagcagga ggcagccctt gaaaacccgc agttttttttt ccagcgttgc gttttttttt 1500
 ctttgccttcc gccccttccca aacccctcc tctaaccac tagagatgc ctgttcctg 1560
 35 ctttgccttcc gccccttccca aacccctcc tctaaccac tagagatgc ctgttcctg 1620
 caaaaaaaaaa

<210> 45
 <211> 169
 <212> DNA
 40 <213> Human

<400> 45

tcttttgc tttagttttt atttttgtat taacaggagt cttattacac ataggctgt 60
 45 taaaactggt ttatgtatctt cagttctgatt ccagtgttc ataactatgtt aacgtatgtaa 120
 gggaaaaacga cgacgaacaa aaaagtaagt gtttggaaatg ctttagttgt

<210> 46
 <211> 769
 50 <212> DNA
 <213> Human

<400> 46

55 tgcaggcat atttactatc ggcaataaaa ggaagcaaag cagtattaaag cagcgggtgga 60
 atttgtcgct ttcactttttt ataaaatgtt acataaaaatg tcataattcc aaattttaaa 120
 acataactcc agtttttacc atgagaaacag catgggtatc acgaaggatc ttcttggaaa 180
 aaacaaaaac aaaaacaaaaa aacaatgttcc tcttctgggt atcacatcaa atgagatata 240
 aagggttact aggcaatctt agagatctgg caacttattt tataatgtt gcatgtgt 300
 60 ccaaggacg ttatgtatcc aatgtatccaa ttgttattt taaaatgtt taaaatgtt taaaatgtt taaaatgtt 360
 cttagatataa tgacaccaat gtctctttt gtttgcgttcc tttttttttt 420
 ggccttcc tttttttttt gtttgcgttcc tttttttttt 480
 catggcaggatc aatgtatccaa ttgttattt taaaatgtt taaaatgtt taaaatgtt 540
 tttttttttt taaaatgtt taaaatgtt taaaatgtt taaaatgtt 600
 65 ttgtatataa tgacaccaat gtacccctt agtgcagaa aacatcattttt tttttttttt 660
 cttttttttt taaaatgtt taaaatgtt taaaatgtt taaaatgtt 720

qqacatgttg acggagagga aaggttaggaa agggttaggg atagaagcc

<210> 47
<211> 2529
<212> DNA

<400> 47

10	tttagttcat	agtaatgtaa	aaccatttgt	ttaattctaa	atcaaatcac	tttcacaaca	60
	gtgaaaatta	gtgactggtt	aagggtgcc	actgtacata	tcatcattt	ctgactgggg	120
	tcaaggacctg	gtcctagtc	acaagggtgg	caggaggagg	gtggaggcta	agaacacaga	180
	aaacacacaa	aagaagaa	agctgcctt	gcagaaggat	gaggtggtga	gcttgcgag	240
	ggatggtggg	aaggggctc	cctgtgggg	ccgagccagg	agtcccaagt	cagctctct	300
15	gccttactta	gctcctggca	gaggtgagt	ggggaccta	gaggttcaa	atcaaatggc	360
	atttggccag	cctggctta	ctaacaggtt	cccagagtgc	ctctgttgc	tgactctcc	420
	tgggctact	ccatttcatt	gaagagtcca	aatgtatcat	tttccatccc	acaacttccc	480
	attattcttc	tggaaaccca	tttctgtga	gtccatctga	cttaaagtct	ctctccctcc	540
	actagttggg	gccactgcac	tgaggggggt	cccaccaatt	ctctctagag	aagagacact	600
20	ccagaggccc	ctgcaactt	gcggatttcc	agaaggtgat	aaaaagagca	ctcttgagtg	660
	ggtgcggcagg	aatgtttaaa	atctatcagg	cacactataa	agctgtgtt	ttcttcctac	720
	caagtggatt	cgccatatga	accacctact	caatacttta	tatttgtct	gtttaaacac	780
	tgaactctgg	tgttgacagg	tacaaaaggag	aagagatggg	gactgtgaag	aggggagggc	840
	ttccctcatc	ttcctcaaga	tcttigttc	cataaaactat	gcagtcataa	ttgagaaaaaa	900
25	gcaatagatg	gggcttcctt	ccatttggtg	gttattgtctg	gggttagcca	ggagcagtgt	960
	ggatggcaaa	gttaggagaga	ggcccgagg	aaagccctatc	tccctccagg	tttgggttct	1020
	ccagaaagag	gctggattt	tggatgaag	cctagaagge	agageaagaa	ctgttccacc	1080
	aggtgaacag	tcctacatgc	ttgttaccat	agtccctca	taagattctag	agaagaagc	1140
	ttatgaaact	gaaaatcaaa	tcaaggattt	gggagaata	atttcccttc	gattccacag	1200
30	gagggaaagac	cacacaaat	cattgtgt	gggctccca	aggccctgcc	acctggctt	1260
	acaaatcatc	aggggttgcc	tgcttggcag	tcacatgtt	ccctgtttt	agcacacata	1320
	caaggagttt	tcagggaaact	ctatcaagcc	ataccaaaat	cagggtcaca	tgtgggttcc	1380
	cccttcctt	gcctcttcat	aaaagacaac	ttggcttctg	aggatgtgg	tcttttgcat	1440
	gcagttggc	tgacctgaca	aagcccccag	tttctgttgg	cagggtctgg	gagaggatgc	1500
35	attcaagtt	ctgcagccta	ggggacagg	ctgcttggtc	agtttactt	gcctcgagc	1560
	tccaaaaccc	accaaagtcc	tgactccagg	tctttcttaa	tgcacagt	taagtctca	1620
	cttcggcagt	attctcgct	gtatgttctc	tggcagagag	aggcagatga	acatagttt	1680
	agggagaaag	ctgtatggaa	acctgtgat	taagggccat	gtctcaccag	gataattta	1740
	tgccaggaaaa	ccaggaagtc	attcaagtt	ttctctgagg	ccaaagacac	tgagcacagc	1800
40	ccagagccaa	taaaagatct	ttgagtctt	ggtgaattca	cgaagtgacc	ccagctttag	1860
	ctactgcaat	tatgattttt	atgggacagc	aatttcttgc	atctctacag	aggaagaaga	1920
	gggggagtgg	gaggggaaagg	aaagagaaca	gagcggca	gggatttga	aggggaaacct	1980
	ctctatctga	ggagccccc	ctgcttctag	aagcaactt	ccaagggtt	tttaaagaca	2040
	tgaaaatttc	cagaaatacc	atttggtca	tccctttgtt	tctgtatat	taaactcagg	2100
45	tgaaaattta	ctctgacagt	ttctctctt	ctgcctcttc	cctctgcaga	gtcaggacat	2160
	gcagaactgg	ctgaaaacaag	atttcatgtt	gtcacccat	agagatgact	caatgccaag	2220
	gcctgaagt	atagagtgtt	tacagcggt	gcgtattt	ggggtcatcg	ccaaactgttc	2280
	tcgagttcca	aagctctgtat	gaagaaacaa	gactcttga	tgtgtactg	atcccactga	2340
	ttcaggagt	caagatttagc	caggaagcc	aaccacagg	gttgggttgg	cacgtccacca	2400
50	gtccagagcc	ctgcccacgg	tgtacgcagg	agcccagcat	taggaatca	ggagccagaa	2460
	catgtcacc	aggccacaa	ataggaagag	gcgtgacagg	aactgctcgt	ccacataacct	2520
	gggggtgtcc						

55 <210> 48
<211> 1553
<212> DNA
<213> Human

22 <400> 48

60 tttttttttt tttttgattt ctgggacaat taagctttat ttttcataata tataatatatt 60
ttccatataata tataatacata catatataaa ggaaacaatt tgcaaattt cacacctgac 120
aaaacccatata atacacacat atgtatgcat acacacagac agacacacac acccgaact 180
ctagccaggc cgggtttcca tccctaagta ccattctctc atttgggccc ttctagggtt 240
65 gggccctga gcttggtttg tagaaagtttgc tgctaatat aaccatagct ttaatccccca 300
tgaaggacag tgtagacctc atctttgtct gctccccgct gcctttcagt ttacgtgtat 360

ccatcaagag ggctatggga gccaagtgaa cacggggat tgaggcta at tcaccta 420
 tcgaaaacag cgcccgctt ctcaccgca ggcacgcgtc ttttctttt ttttcctcga 480
 gacggagtct cgctgtgtt cccaggctt agtgcagtgg cacggctcg gctcaactgca 540
 agctccacca cctggattca taccatttc ctgcttcage cttccgagta gctggacta 600
 5 taggtccaa ccactacgca tagctaattt tttttgtat ttttagtaga gacagggtt 660
 caccgttta gccaggatgg tctcgtctt actttgtat ccggccggct cggccccc 720
 aagtgtggg attacaggcg tgagccacca cacctggccc cggcacgtat ctttaagga 780
 atgacaccag ttccctggctt ctgaccaaaag aaaaatgtc acaggagact ttgaagaggc 840
 agacaggagg gtgggtggcag caaactgca gtcgttctg gatgtctg ggggtctc 900
 10 cggagcgggt gtgaacagcg cacttcaaa tgagcaggcg cttggctccg gtgtgtcc 960
 acttcagtgg tgcacctgga tggtaaagc cagctttgg ggcaggaaac cagctcagag 1020
 aggtacccca gtcagctgc tggcaggagc caggattta cagccataat gtgtgtaaag 1080
 aaaaacacag ttctgcaaga aactctcta cccgtctggg agactggggc tccttgctt 1140
 15 ggtgagctt cactcaacgt ggagatggt gtggactggt ccctgaaaag cggggcttgc 1200
 agggccaagt gagggtctca ggtcctaa ccagtggccc tctgaaaggg ggtgtcagg 1260
 cgagggggcaggaggctt tctctagcc ctttgaggc tttggctgag agaagagtga 1320
 gcagggagct ggaatggtc caggcagga agggagctga agtatttcgg ggctaatgca 1380
 tcagatcgat gtatttctct ccctggctc ccggagccctt ctgttgcaccg ctgctgc 1440
 20 gcaggaggcc catctttctt gggagctt at gttacttaac ttcaactaca agttcgctt 1500
 tacgagaccg gggtagcgt gatctctgc ttccctgagc gcctgcacgg cag

<210> 49

<211> 921

<212> DNA

25 <213> Human

<400> 49

ctgtggtccc agtactctcg gaggctgagg cgggaggatt gtttgcggcc aggagggttga 60
 30 tggtcagtgc acccaagatc gcaccattgc cttccactct gggccacggc gcaataccct 120
 gtctcagaaaa acaaacaaca aaaagcagaa acgtcgaaagg ggtcggttta cgggaaaacc 180
 gcctgtcaga acacttggct actcttaccc cagatcgatc gacctggggaa tgagggttgg 240
 tccctggagg ctttctcca agtgcgttcc accagacccg ccatggaaac cttggccaca 300
 35 gaagccctcc ggggagtgtag ccagagctg gaccgtctg ctgtatgttc tgggggtggag 360
 ggaggggtggg gatgtgtcaaa gggtgtgtgt gtggccgggg ggtgttcatg ggcaagcatg 420
 tgcgtgcctg tgggtgtcgcc tgcccttccc ctgcagccgt cgggtgttac tccctccagc 480
 cccttcgcca ccttctgagc attgtctgtc cactgtgagac tgcccagaga cagcagagct 540
 40 ccacgtgtt ttaagggggac acctttccct ggacctgggg gtctcggctt atctcatgac 600
 caggtctaa atgacccgac atgcattacc tgccttcga tgaccaacct ccctgtcccc 660
 gtccctgtca cttggccccc tggcgtctca cggtgatgcc tgctctgtac attgggttcc 720
 actgtgacaa actacattct ggatggaaat ttcatgtac atgtgtggca tggaaaat 780
 ttcaataaaa atggacttga tttagaaagc caaaaagctg tgggtccctt ccagcacgg 840
 tacttgcacc tcttgcctac aacccttcc ttgggtccga ggctggtagc ttgttcaact 900
 tcagatggtt gggggcggtt g

45

<210> 50

<211> 338

<212> DNA

50 <213> Human

<400> 50

atgatctata tagatgcctt accgtaaaat caaaaacacaa aaccctactg actcattccc 60
 tcccttccag atattacccc atttctctac ttcccatgtt agccaaactt tccaaaaatt 120
 55 catgttctgtt cttcatgttcc tcatgttcaa cccacccctgtt ctttagctacc acccctcagt 180
 aacgacctag cttgggtaga aacaaatgtc agcatgatac cataactcaat gatccttcgt 240
 cactgttgcatttgcattca ttccatggcc ttactttccc ttcagcgcc atttgctaca 300
 gtaagaaact ttctttctt aattttgtt tcttttgg

60

<210> 51

<211> 1191

<212> DNA

<213> Human

65 <400> 51

5 cgaccggcca ctactgtctt tctttgaccc ttccagtttc gaagataaaag aggaataat 660
 ttctctgaag tacttgataa aatttccaaa caaaacacat gtccacttca ctgataaaaa 720
 atttaccgca gttggcacc taagagtatg acaacagcaa taaaaagtaa tttcaaagag 780
 ttaagatttc ttcaaaaa tagatgattc acatottca a tttttttt 840
 ttaatattat tcttcctca ttccatctg aatgactgca gcaatagttt tttttttt 900
 tttttttt ttgcgagatg gaatctcgct ctgtcgccca gggggagtgc actggcgcaa 960
 gccccgctca ccgcaatctc tgccacccg

 10 <210> 54
 <211> 250
 <212> DNA
 <213> Human

 15 <400> 54
 catttccca ttggtcctga ttttgaatg ttagttaaag aggctgttaag tcaggttcga 60
 gcagaggcata ctacaagaag taggaaatca agtccctcac atggcttattt aaaaacttaggt 120
 agtggtgagg tagtggaaaaa gaaatctgaa caacttcata acgttaactgc ctttcaggaa 180
 aaaggcatt cttaggaac tgcatctgtt aaccacacc ttgatccaag agctaggaa 240
 20 acttcagtt

 <210> 55
 <211> 2270
 <212> DNA
 25 <213> Human

 <400> 55

 30 gcgcccccgaa gcagcgcccc cgccccccgc gccttctccgc cggggacccgc gagcggaaaga 60
 ggcccccgcg ccgccccggcc ctgccttccc tgccaccggc gcacaccggc cggccacccc 120
 gaccccgctg cgccacggccgt gtccgcgtca caccagcttgc ttggcgttcc ctgcggcg 180
 ctcggcccg gctaactcctg cgccgcacaa tgacttcccg catgcgcagg ggcgcgtcc 240
 tagtgcgtac ctttctccac ttgaccaggc tggcgttcc caccgtccccc gtcgcgtcc 300
 actgcggccct ggaggcgcccc aagtgcgcgc cggggatgcgg gtcggcccg gacggcg 360
 35 gtcgtgttaa ggtctgcgc aagcagctca acggggactg cagcaaaacg cagccctgcg 420
 accacaccaa ggggctggaa tgcaacttcg ggcggcaactgc caccgtctg aaggggatct 480
 gcagagctca gtcagaggcggc agaccctgtg aatataactc cagaatctac caaaacgggg 540
 aaagtttcca gcccaactgt aaacatcaatg gcacatgtat tgatggccgc gtgggtgc 600
 ttccctctgtt tcccccaagaa ctatctcc ccaacttggg ctgtcccaac ctcgcgtgg 660
 40 tcaaatttac cgggcgtgtc tgcggaggatgggtctgttgc cggggatgtt atcaaggacc 720
 ccatggagga ccaggacggc ctcattggca agggatgggg attcgatgcc tccggagggtgg 780
 agttgacggc aaacaatggaa ttgatttgcg ttggaaaaagg cagtcactg aagcggtcc 840
 ctgttttgg aatggggactt cgcattctat acaaccctt acaaggccag aaatgtattt 900
 ttcaaaacac ttcatggtcc cagtgcctaa agacctgtgg aactggatatc tccacacgg 960
 45 ttaccaatgtca caaccctgtggc tgccgccttgc tgaaagaaac cgggattttt gagggtgcggc 1020
 ctgtggaca gccagtttac agcagcttgc aaaaggccaa gaaatgcagc aagaccaaga 1080
 aatcccccgaa accagtctgg tttacttacg ctggatgttgc gatgtgttgc aataccggc 1140
 ccaagtactg cgggttccgtc gtggacggcc gatgtgttgc ccccccggcc accaggactg 1200
 tgaagatgtcg gttccgttgc gaagatgggg agacattttt ctaaaggccatc atgatgtatc 1260
 50 agtcgtcaaa aactgcggccgc atgcgttca agcagcggtt cccttctaca 1320
 ggctgttcaaa tgacatttac aaatttaggg actaaatgtt acctgggtt ccaggccaca 1380
 cctagacaaa caaggggagaa ggtgttgcata atcagaatca tggggaaaat gggcggggg 1440
 ggtgtgggtt atggggacttca ttgtggaaaag gaagccgttgc tcatttttgc ggagcattaa 1500
 ggtatccgtca aactgcggccgc ggtgttgc cggatggaca ctaatgcagc cacgatttgg 1560
 55 gaataacttttgc tttccatagta ttggagcaca ttggatgttgc tcatttttgc gcttggag 1620
 ttgtatgttgc ttgttttttgc ttgttgcata tatttgcata gcatatttttgc tcttaggtttt 1680
 tttcccttttgc ggggttctaca gtcgttgcata agataatgg ttttttttttgc ttttttttgc 1740
 cttttatttgc ttcccttgcata aaagatgggg cccatcccttgc ctgttttttgc 1800
 acactccatg agtgcgtgttgc agggccgtt atcgttgcactc taaaactgcata acagaaatca 1860
 60 ggtgttttgc gactgttgcata ttgttttttgc ttttttttttgc ttttttttgc 1920
 ttttttttttgc gactgttgcata ttgttttttgc ttttttttttgc ttttttttgc 1980
 tatgttgcata accatttttgcata aaagatgggg cccatcccttgc ctgttttttgc 2040
 ttttttttttgc ggtgttgcata agtgcatttttgc ttttttttttgc ttttttttgc 2100
 aacaggactt atggggatgttgc agcgttgcata taagcttgcata aaataagata atgatttgc 2160
 ttatcccttgcata agtagagaaa agtcttgcata ttttttttttgc ttttttttgc 2220
 aacacgacat ttttttttttgc ttttttttttgc ttttttttgc ttttttttgc aaaaaaaaaaa

	aaaatgtaaa	cttcacccat	ttcatcttct	ccaaatccca	agatgtgacc	ggaaaagttag	420
	cctctacagg	acccactagt	gccgacacag	agtggttttt	cttgcactg	cttgcata	480
	ggactttgt	ggagagttag	gaaattccca	ttacgatctc	caaacacgt	gcttccatac	540
5	aatctttctg	actggcagcc	ccggatatac	aatccaccaa	ccaaaggacc	attactgaat	600
	ggcttgaatt	ctaaaagtga	tggctcaactt	tcataatctt	ccccctttat	tatctgtaga	660
	attctggctg	atgatctgtt	ttttccattt	gagtctgaac	acagtatctgt	taaattgtat	720
	tttatatcag	tgggatgtt	atccacagca	catctgcctg	gatctgtggag	cccatgagca	780
10	aacacttcgg	ggggctgttt	ggtgtgttg	aagtgtgggt	tgccttctgg	tatgaaataa	840
	ggcacgttgc	acatgtctgt	gtccacatcc	agccgttagca	ctgagcctgt	gaaatcattt	900
	aacccatcca	tttcttccat	atcatccagt	gtaatcatcc	catcacaag	aatgatgtac	960
	aaaaacccgt	cagggccaaa	gagcagttgc	cctccagat	gcttctgtg	gagttctgca	1020
	acttcaagaa	agactctggc	tgttctcaa				
15	<210>	59					
	<211>	747					
	<212>	DNA					
	<213>	Human					
20	<400>	59					
	ttttcaaat	cacatatggc	ttctttgacc	ccatcaaata	actttattca	cacaacgtc	60
	ccttaattta	caaaggctca	gtcattcata	cacatttaggg	gatccacagt	gttcaaggaa	120
	cttaaatata	atgtatcata	ccaaaccaag	taaaccaagt	acaaaaaaaata	ttcatataaa	180
25	gttgttcaca	cgtaggctt	agattaccag	tttctgtgca	aaaaaaaggaa	atgaagaaaa	240
	atagatttat	taactatgt	tggaaaactaa	tttctgtgcct	ggcttaaaaac	ctccctcaacg	300
	ctcgctgtc	ccacacaat	gtttaagaag	tcactgtcaat	gtactccccg	gctctgtat	360
	aaagaagccc	ctggcacaat	agattccagt	gccccctgaag	aggctccctt	cctctgtgg	420
	gctctccatg	aaaacccacgc	ggacggccctc	cctgtgtata	ccgtctataa	cctttaggggg	480
30	ccctggggca	ggcaacggca	gtggactat	cctcggtatg	gctgttagatg	ctaacactgg	540
	ccaaatcaat	gccacaccta	ctggttaccc	tttggggca	tttctccaga	cagaagcccc	600
	ttgaaggcata	ggtaggggcag	gatcagagat	acacccgtgt	ttgtctcgaa	gggctccaca	660
	gccccatgc	acatgcttc	agaagtagta	tctctggact	tctgcctcca	gtcgaccggc	720
	cgcgaattta	gtatgtatag	cggccgc				